This page intentionally left blank

General Data Items - Fo	r Infants Born in <u>2</u>	2 <u>025</u> at VLBW Ce	nters	VON Vermont Oxford NET WORK
Center Number:	Patient ID Number:		MRN:	

## VERMONT OXFORD NETWORK eNICQ PATIENT DATA BOOKLET FOR INFANTS BORN IN 2025

This booklet contains protected health care information and must NOT be submitted to Vermont Oxford Network (VON). VON only accepts protected health care information in cases where members have <u>both</u> voluntarily elected to send this information to VON <u>and</u> have signed an appropriate Business Associate Agreement with VON.

This booklet is designed for you to use to collect data that will later be entered by your center into eNICQ, the VON data submission tool.

$C_{\Delta}$	nto	ents	
	1116	ゖゖっ	

Page 1: Patient Identification Worksheet

Page 2-7: General Data Items for Infants Born in 2025 at VLBW Centers

	PATIENT I	DEN	TIFICATION WORKSHEET
Patient's Name:			
Mother's Name:			
Date of Birth:	///		
Date of Admission:	//		<ul> <li>For <u>inborn</u> infants, the date of admission is the Date of Birth</li> <li>For <u>outborn</u> infants, the date of admission is the date the infant was admitted to your hospital</li> </ul>
Date of Day 28:	///	-	For Date of Day 28 use the Day 28 Calculation Charts: https://vtoxford.zendesk.com/hc/en-us/articles/33145985387283
Date of Week 36:	//	ſ	For Date of Week 36 use the Week 36 Calculator: https://public.vtoxford.org/week-36-calculator/

## PLEASE DO NOT SUBMIT THIS WORKSHEET

Protected Health Care Information

General Data Items <i>- For I</i> Genter Number: Pa			VLBWC	enters V®N Vermon	t Oxford VORK
Patient ID number:	(this	is the VON Netwo	rk ID – it is auto	generated by eNICQ)	
Medical Record Number:		Date	of Birth:	I J J	
Died in Delivery Room: ☐ Yes	☐ No (If Yes,	complete Delivery	Room Death da	ta booklet, not this booklet)	
Location of Birth:	rn 🗌 Outborn (	If Outborn, complet	e Date of Admis	ssion below)	
Patient's First Name:		_ Moth	ner's First Na	ame:	
Patient's Last Name:		_ Moth	er's Last Na	ıme:	
For <i>Outborn</i> infants:					
Date of Admission:/_	<u>/</u>				
Reason for Transfer In:		rowth/Discharge	e Planning	☐ Medical/Diagnostic Serv	ices
<u> </u>	_	J	Other	☐ Hypothermic Therapy	
Birth Weight: gr	ams				
Gestational Age, Weeks:	Gest	ational Age, Da	ays (0-6):		
If Location of Birth is Outbo			om which Ir	nfant Transferred:	
Head Circumference at Birth (in	cm to nearest 1	0 <sup>th</sup> ):	].[		
Maternal Ethnicity/Race (Answe	r both Ethnicit	y and Race):			
Ethnicity of Mother:   Hispanic	☐ Not Hispa	anic			
<u> </u>	African America Indian or Alaska	_	/hite ative Hawaiiar	Asian or Other Pacific Islander	Other
Prenatal Care:	☐ Yes	☐ No			
Antenatal Steroids:	Yes	☐ No			
Antenatal Magnesium Sulfate:	Yes	☐ No			
Chorioamnionitis:	☐ Yes	☐ No			
Maternal Hypertension, Chronic	or Pregnancy	-Induced:	☐ Yes ☐	No No	
Maternal Diabetes	Yes	☐ No			
Mode of Delivery:	☐ Vaginal	☐ Cesarear	Section		
Sex of Infant:	☐ Male	☐ Female	Unkno	wn	
Multiple Gestation:	Yes	☐ No	If Yes, Nu	mber of Infants Delivered:	
Congenital Infection:	☐ Yes	☐ No			
Congenital Infection, Organism( (If Congenital Infection is Yes, enter up t		ction descriptions fr	om Manual of C		

eneral Data Iten	ns <i>- For Infants Born in <mark>202</mark></i>	<u>'5</u> at	VLI	BWC	enters	VON Vermont Oxfo
enter Number:	Patient ID Number:				MRN:_	
Choose <u>one</u> of the fi your choice:	ive Post Transfer Disposition option	ıs bel	ow aı	nd con	nplete the Dat	a Item(s) that follow
Post Transfer Dispo	sition:					
1. 🗌 Home						
Date of Fina	al Discharge:/// MM DD YYYY	(infant	t recor	d is nov	v complete)	
2 🗌 Died						
Date of Fina	al Discharge:////YYYY	(infant	t recor	d is nov	v complete)	
<del></del>	Again to Another Hospital (2 <sup>nd</sup> Transi Disposition:	fer)				
□ Home	•					
<del></del>	of Final Discharge://///////	<del>√</del>	(inf	ant reco	ord is now comp	ete)
☐ Died						
Date	e of Final Discharge:// MMDDYYY	Ϋ́	(inf	ant reco	ord is now comp	lete)
☐ Still H	ospitalized as of First Birthday		(inf	ant reco	ord is now comp	ete)
When infants are through <i>Monitor</i> a	o Any Location in Your Hospital e readmitted to your center, continue to update E at Discharge based on all events at both hospita					
Disposition	on after Readmission:					
☐ Home						
•	ght at Disposition after Readmission	າ:	_gra			
Date	e of Final Discharge:// MM			(ir	nfant record is no	ow complete)
☐ Died						
	ight at Disposition after Readmissio		gra	ıms		
Date	e of Final Discharge:// MM DD YYY			(ir	nfant record is no	ow complete)
☐ Still H	ospitalized as of First Birthday	•				
— Wei	ight at Disposition after Readmissio	n:	gra	ıms (ir	nfant record is no	ow complete)
☐ Transf	ferred Again to Another Hospital					
Wei	ight at Disposition after Readmissio	n:	gra	ıms		
	Ultimate Disposition:					
	☐ Still Hospitalized as of First	Birth	ıday		(infant re	cord is now complete)
	☐ Home		_			
	Date of Final Discharge: _				(infant re	cord is now complete)
	☐ Died	MM	DD	YYYY		
	☐ Died  Date of Final Discharge: _	1		1	(infant re	cord is now complete)
		——'- ММ	DD	YYYY	,aire 10.	

(infant record is now complete)

5. Still Hospitalized as of First Birthday

Rel 29.0

Rel 29.0

enter Number: Pa	atient ID Number: MRN:
Enteral Feeding at Discharge:	□ None
	☐ Human Milk Only
	☐ Formula Only
	☐ Human milk in combination with either fortifier or formula
Oxygen, Respiratory Support, ar	nd Monitor at Discharge:
Oxygen (at Discharge):	☐ Yes ☐ No
Conventional Ventilation (at Dis	scharge): Yes No
High Frequency Ventilation (at	Discharge): Yes No
Nasal Cannula Flow (at Discharge	e): Yes No
If Yes, Flow Rate of Nasal C	annula Greater than Two Liters per Minute (at Discharge):   Yes  No
Nasal Ventilation (at Discharge):	☐ Yes ☐ No
Nasal CPAP (at Discharge):	☐ Yes ☐ No
Monitor (at Discharge):	☐ Yes ☐ No
☐ Still Hospitalized as of I  Date of Initial Disposition:	
ММ	DD YYYY
Weight at Initial Disposition:	grams
Head Circumference at Initial Di	sposition (in cm to nearest 10 <sup>th</sup> ): (For infants which have not transferred infant record is now complete)
o which Infant Transferred, Post Ti	r hospital, complete Data Items Reason for Transfer, Transfer Code of Center transfer Disposition, and the Data Items that follow your Post Transfer Disposition refers to the infant's disposition upon leaving the "transferred to" hospital.
o which Infant Transferred, Post Ti hoice). Post Transfer Disposition r	ransfer Disposition, and the Data Items that follow your Post Transfer Disposition refers to the infant's disposition upon leaving the "transferred to" hospital.
o which Infant Transferred, Post Ti choice). Post Transfer Disposition r	ransfer Disposition, and the Data Items that follow your Post Transfer Disposition refers to the infant's disposition upon leaving the "transferred to" hospital.
o which Infant Transferred, Post Ti hoice). Post Transfer Disposition r	ransfer Disposition, and the Data Items that follow your Post Transfer Disposition refers to the infant's disposition upon leaving the "transferred to" hospital.
o which Infant Transferred, Post Ti	ransfer Disposition, and the Data Items that follow your Post Transfer Disposition refers to the infant's disposition upon leaving the "transferred to" hospital.  If a continuous fer Out:     ECMO

enter Number:		2025 at VLBW Centers V®N Vermont C
APGAR Scores:	1 minute	5 minutes
Initial Resuscitation:	Oxygen:	☐ Yes ☐ No
	Face Mask Vent:	☐ Yes ☐ No
	Supraglottic Airway Devi	ce: Yes No
	<b>Endotracheal Tube Vent:</b>	☐ Yes ☐ No
	Epinephrine:	☐ Yes ☐ No
	Cardiac Compression:	☐ Yes ☐ No
	Nasal Vent:	☐ Yes ☐ No
	Nasal CPAP:	☐ Yes ☐ No
•	within the First Hour after Act Within the First Hour after Add earest 10th)	
	f Admission to Your NICU:	☐ Yes ☐ No
	Meningitis on or before Day	
•	-	
-	r <b>Meningitis on or before Day</b> <i>ningiti</i> s is Yes, enter up to 3 Bacterial	Pathogen descriptions from Manual of Operations, Part 2 – Appen
Oxygen on Day 28:	☐ Yes ☐ No	
Periventricular-Intraver	ntricular Hemorrhage (PIH):	
Cranial Imaging (US/CT	/MRI) on or before Day 28:	☐ Yes ☐ No
If Yes, Worst Grade	of PIH (0-4):	
If PIH Grade 1-4, Wh	ere PIH First Occurred:	☐ Your Hospital ☐ Other Hospital
Respiratory Support (a	it any time after leaving the deli	ivery room/initial resuscitation area):
Oxygen (after Initial Resus	citation):	☐ Yes ☐ No
Conventional Ventilati	ion (after Initial Resuscitation):	☐ Yes ☐ No
High Frequency Venti	lation (after Initial Resuscitation):	☐ Yes ☐ No
Nasal Cannula Flow (a	fter Initial Resuscitation):	☐ Yes ☐ No
If Yes, Flow Rate of	Nasal Cannula Greater than Tw	vo Liters per Minute (after Initial Resuscitation): 🗌 Yes 🛭
Nasal Ventilation (after	Initial Resuscitation):	☐ Yes ☐ No
Nasal CPAP (after Initial I	Resuscitation):	☐ Yes ☐ No
Surfactant during Initia	I Resuscitation: ☐ Yes ☐	No
Surfactant at Any Time	: Yes No (Surfactant a	t Any Time must be Yes if Surfactant During Initial Resuscitation is
If Yes, Age at First D	ose of Surfactant: Hours _	Minutes (0-59)
If Yes, Age at First D Inhaled Nitric Oxide:	Oose of Surfactant: Hours	Minutes (0-59)

V®I	Vermont Oxfor

MRN:	(
IVIIXIV.	_

Rel 29.0

Surgery Code 2:	enter Number:	_ Patient ID Nun	ber: MRN:	
Conventional Ventilation (at 36 Weeks):	Respiratory Support at	<b>36 Weeks</b> (See Manual d		
High Frequency Ventilation (at 36 Weeks):	Oxygen (at 36 Weeks):		∐ Yes ∐ No           N/A	
Yes, Flow Rate of Nasal Cannula Greater than Two Liters per Minute (at 36 Weeks):   Yes   No   N/A     Nasal CPAP (at 36 Weeks):   Yes   No     No   If Yes, Steroids for CLD, Where Given:   Your Hospital   Other Hospital   Both     No   No   N/A     No   No   N/A     N	Conventional Ventilation	<b>on</b> (at 36 Weeks):	☐ Yes ☐ No ☐ N/A	
If Yes, Flow Rate of Nasal Cannula Greater than Two Liters per Minute (at 36 Weeks): Yes No Nasal Ventilation (at 36 Weeks): Yes No NASAI Ventilation (at 36 Weeks): Yes No NASAI CPAP (at 36 Weeks): Yes No NASAI CETAMORE (at 36 Weeks	High Frequency Ventila	ation (at 36 Weeks):	☐ Yes ☐ No ☐ N/A	
Yes   No   N/A     Nasal CPAP (at 36 Weeks):   Yes   No     No   N/A     Nasal CPAP (at 36 Weeks):   Yes   No     No   N/A     Nasal CPAP (at 36 Weeks):   Yes   No     No   No   N/A     Nasal CPAP (at 36 Weeks):   Yes   No     No   No   No   No     No   No	Nasal Cannula Flow (at	36 Weeks):	☐ Yes ☐ No ☐ N/A	
Vess   No   N/A   Nasal CPAP (at 36 Weeks):   Yes   No   No   N/A   Nasal CPAP (at 36 Weeks):   Yes   No   No   N/A   Nasal CPAP (at 36 Weeks):   Yes   No   No   No   No   No   No   No   N	If Yes, Flow Rate of	Nasal Cannula Greate	than Two Liters per Minute (at 36 Weeks	): ☐ Yes ☐ No
Ves   No   N/A				
Yes	•	,		
If Yes, Steroids for CLD, Where Given:		' <del>)'</del>		
Yes   No   No   No   No   No   No   No   N		LD Whore Civen	<b>_</b>	□ Dath
cetaminophen (Paracetamol) for PDA:	•	<u> </u>		□ poru
cetaminophen (Paracetamol) for PDA:		eason:	<del></del>	
reatment of ROP with Anti-VEGF Drug:   Yes   No    reatment of ROP with Anti-VEGF Drug:   Yes   No    raffeine for Any Reason:   Yes   No    reatmuscular Vitamin A for Any Reason:   Yes   No    ROP Surgery:   Yes   No    ROP Surgery:   Yes   No    If Yes, ROP Surgery, Where Done:   Your Hospital   Other Hospital   Both    surgery or Interventional Catheterization for Closure of PDA:   Yes   No    f Yes, a Surgery Code, Location of Surgery, and an answer to Surgical Site Infection are required below)  surgery for NEC, Suspected NEC, or Bowel Perforation:   Yes   No    f Yes, a Surgery Code, Location of Surgery, and an answer to Surgical Site Infection are required below)  there Surgery:   Yes   No    f Yes, a Surgery Code, Location of Surgery, and an answer to Surgical Site Infection are required below)  f Yes to Surgery for Closure of PDA, Surgery for NEC, or Other Surgery, enter up to 10 Surgery Code ocations of Surgery, and check Yes or No for Surgical Site Infection following Surgery at Your Hospical Hospital   Surgery For NEC   Surgery Code Surgery for NEC   Surgery Code If a surgical site infection is present, indicate "Yes" for the one surgical code that resulted in the surgite infection.   Surgery Code 1:   Your Hospital   Other Hospital   Both   Surgical Site Infection:   Yes   Surgery Code 3:   Your Hospital   Other Hospital   Both   Surgical Site Infection:   Yes   Surgery Code 4:   Your Hospital   Other Hospital   Both   Surgical Site Infection:   Yes   Surgery Code 6:   Your Hospital   Other Hospital   Both   Surgical Site Infection:   Yes   Surgery Code 6:   Your Hospital   Other Hospital   Both   Surgical Site Infection:   Yes   Surgery Code 6:   Your Hospital   Other Hospital   Both   Surgical Site Infection:   Yes   Surgery Code 6:   Your Hospital   Other Hospital   Both   Surgical Site Infection:   Yes   Surgery Code 6:   Your Hospital   Other Hospital   Both   Surgical Site Infection:   Yes   Surgery Code 6:   Your Hospital   Other Hospital   Both   Surgical Site Infection:   Yes   Surgery Cod	ouprofen for PDA:		Yes No	
reatment of ROP with Anti-VEGF Drug:	cetaminophen (Parace	tamol) for PDA:	☐ Yes ☐ No	
Affeine for Any Reason:   Yes   No	robiotics:		☐ Yes ☐ No	
Affeine for Any Reason:	reatment of ROP with /	Anti-VEGF Drug:	☐ Yes ☐ No	
Yes   No   No   No   No   No   No   No   N				
Yes   No   No   If Yes, ROP Surgery, Where Done:   Your Hospital   Other Hospital   Both   Both   Interventional Catheterization for Closure of PDA:   Yes   No   Yes, a Surgery Code, Location of Surgery, and an answer to Surgical Site Infection are required below)   Interventional Catheterization for Closure of PDA:   Yes   No   No   Interventional Catheterization for Closure of PDA:   Yes   No   No   Interventional Catheterization for Closure of PDA:   Yes   No   No   Interventional Catheterization for Surgery Code, Location of Surgery, and an answer to Surgical Site Infection are required below)   Other Surgery:   Yes   No   No   Yes, a Surgery Code, Location of Surgery, and an answer to Surgical Site Infection are required below)   Yes to Surgery for Closure of PDA, Surgery for NEC, or Other Surgery, enter up to 10 Surgery Code   Yes, a Surgery for Closure of PDA, Surgery for NEC, or Other Surgery, enter up to 10 Surgery Code   Yes to Surgery, and check Yes or No for Surgical Site Infection following Surgery at Your Hospical   Surgery for NEC is Yes, one or more of the following codes is required: \$302, \$303, \$307, \$308, \$309, \$333. Indicate Location of Urgery for each surgery code. If a surgical site infection is present, indicate "Yes" for the one surgical code that resulted in the surgice infection.  Surgery Code 1:   Your Hospital   Other Hospital   Both   Surgical Site Infection:   Yes   Surgery Code 3:   Your Hospital   Other Hospital   Both   Surgical Site Infection:   Yes   Surgery Code 4:   Your Hospital   Other Hospital   Both   Surgical Site Infection:   Yes   Surgery Code 6:   Your Hospital   Other Hospital   Both   Surgical Site Infection:   Yes   Surgery Code 6:   Your Hospital   Other Hospital   Both   Surgical Site Infection:   Yes   Surgery Code 6:   Your Hospital   Other Hospital   Both   Surgical Site Infection:   Yes   Surgery Code 7:   Your Hospital   Other Hospital   Both   Surgical Site Infection:   Yes   Surgery Code 8:   Your Hospital   Other Hospital   Both   Surgical Site Infecti				
If Yes, ROP Surgery, Where Done:		Tor Arry Neason.		
Surgery or Interventional Catheterization for Closure of PDA:			<u> </u>	□ <b>-</b>
Tyes, a Surgery Code, Location of Surgery, and an answer to Surgical Site Infection are required below)    Surgery for NEC, Suspected NEC, or Bowel Perforation:				Both
Surgery for NEC, Suspected NEC, or Bowel Perforation:    Yes			<del>_</del>	
Tyes, a Surgery Code, Location of Surgery, and an answer to Surgical Site Infection are required below)  Other Surgery:    Yes   No				
FYes to Surgery For Closure of PDA, Surgery for NEC, or Other Surgery, enter up to 10 Surgery Code ocations of Surgery, and check Yes or No for Surgical Site Infection following Surgery at Your Hospee Manual of Operations, Part 2 – Appendix D for Surgery Codes.  Surgery for NEC is Yes, one or more of the following codes is required: S302, S303, S307, S308, S309, S333. Indicate Location of urgery for each surgery code. If a surgical site infection is present, indicate "Yes" for the one surgical code that resulted in the surgite infection.  Surgery Code 1: Your Hospital Other Hospital Both Surgical Site Infection: Yes Surgery Code 2: Your Hospital Other Hospital Both Surgical Site Infection: Yes Surgery Code 3: Your Hospital Other Hospital Both Surgical Site Infection: Yes Surgery Code 4: Your Hospital Other Hospital Both Surgical Site Infection: Yes Surgery Code 5: Your Hospital Other Hospital Both Surgical Site Infection: Yes Surgery Code 6: Your Hospital Other Hospital Both Surgical Site Infection: Yes Surgery Code 6: Your Hospital Other Hospital Both Surgical Site Infection: Yes Surgery Code 6: Your Hospital Other Hospital Both Surgical Site Infection: Yes Surgery Code 7: Your Hospital Other Hospital Both Surgical Site Infection: Yes Surgery Code 7: Your Hospital Other Hospital Both Surgical Site Infection: Yes Surgery Code 8: Your Hospital Other Hospital Both Surgical Site Infection: Yes Surgery Code 8: Your Hospital Other Hospital Both Surgical Site Infection: Yes Surgery Code 8: Your Hospital Other Hospital Both Surgical Site Infection: Yes Surgery Code 8: Your Hospital Other Hospital Both Surgical Site Infection: Yes Surgery Code 8: Your Hospital Other Hospital Both Surgical Site Infection: Yes Surgery Code 8: Your Hospital Other Hospital Both Surgical Site Infection: Yes Surgery Code 8: Your Hospital Other Hospital Both Surgical Site Infection: Yes Surgery Code 8: Your Hospital O		*		
**Yes to Surgery Code, Location of Surgery, and an answer to Surgical Site Infection are required below)  **Yes to Surgery for Closure of PDA, Surgery for NEC, or Other Surgery, enter up to 10 Surgery Code ocations of Surgery, and check Yes or No for Surgical Site Infection following Surgery at Your Hospe Manual of Operations, Part 2 – Appendix D for Surgery Codes.  **Surgery for NEC** is Yes, one or more of the following codes is required: S302, S303, S307, S308, S309, S333. Indicate Location of urgery for each surgery code. If a surgical site infection is present, indicate "Yes" for the one surgical code that resulted in the surgical infection.  **Surgery Code 1:**	ther Surgery:		☐ Yes ☐ No	
ocations of Surgery, and check Yes or No for Surgical Site Infection following Surgery at Your Hospee Manual of Operations, Part 2 – Appendix D for Surgery Codes.  Surgery for NEC is Yes, one or more of the following codes is required: S302, S303, S307, S308, S309, S333. Indicate Location of targery for each surgery code. If a surgical site infection is present, indicate "Yes" for the one surgical code that resulted in the surgical infection.  Surgery Code 1:		of Surgery, and an answer to	Surgical Site Infection are required below)	
Surgery Code 2:	ocations of Surgery, and ee Manual of Operations, Part Surgery for NEC is Yes, one of the urgery for each surgery code.	nd check Yes or No for t 2 – Appendix D for Surgery or more of the following code	Surgical Site Infection following Surg Codes. is required: S302, S303, S307, S308, S309, S333	ery at Your Hospita Indicate Location of
Surgery Code 3:			•	
Surgery Code 4:			·	
Surgery Code 5:				
Surgery Code 6:			•	
Surgery Code 7:			·	
Surgery Code 8: Your Hospital Other Hospital Both Surgical Site Infection: Yes				
			·	
Surgery Code 9:				
Surgery Code 10:	Surgery Code 9:			

Center Number: Patient ID	Number: MRN:
Respiratory Distress Syndrome:	☐ Yes ☐ No
Pneumothorax:	☐ Yes ☐ No
If Yes, Pneumothorax, Where Occurre	d: ☐ Your Hospital ☐ Other Hospital ☐ Both
Patent Ductus Arteriosus:	☐ Yes ☐ No ☐ N/A
Necrotizing Enterocolitis:	☐ Yes ☐ No
If Yes, NEC, Where Occurred:	☐ Your Hospital ☐ Other Hospital ☐ Both
Surgically Confirmed or Clinically Diagno	osed Focal Intestinal Perforation:  Surgically Confirmed Clinically Diagnosed No
Sepsis and/or Meningitis, Late (after day	3 of life):
Bacterial Sepsis and/or Meningitis after D	Day 3:
If Yes, Bacterial Sepsis and/or Mening	itis after Day 3, Where Occurred:
	☐ Your Hospital ☐ Outside Your Hospital ☐ Both
Bacterial Sepsis and/or Meningitis after I (If Bacterial Sepsis and/or Meningitis is Yes, enter u	Day 3, Pathogen(s): p to 3 Bacterial Pathogen descriptions from Manual of Operations, Part 2, Appendix B
Coagulase Negative Staph Infection after	Day 3:
If Yes, Coagulase Negative Staphyloco	occal Infection after Day 3, Where Occurred:
	☐ Your Hospital ☐ Outside Your Hospital ☐ Both
Fungal Infection after Day 3:	☐ Yes ☐ No
If Yes, Fungal Infection after Day 3, Where C	Occurred:  Your Hospital  Outside Your Hospital  Both
Cystic Periventricular Leukomalacia:	Yes No N/A (See Manual of Operations, Part 2 for N/A criteria)
ROP, Retinal Examination	☐ Yes ☐ No
If Yes, Worst Stage of ROP (0-5):	
Congenital Anomaly:	☐ Yes ☐ No
If Yes, enter up to 5 Congenital Anoma See Manual of Operations, Part 2 – Appendix C fo	
If Yes, as needed, include description	(s) for Codes 100, 504, 601, 605, 901, 902, 903, 904, & 907:
Is this infant still hospitalized at your cen	nter?