

Member Instructions for Electronic Data Submission in 2024

Contents

Purpose of Member Instructions for Electronic Data Submission (EDS)	2
Patient Privacy	2
Revisions for 2024	3
Introduction	4
Vermont Oxford Network Mission	4
Network Databases and Electronic Data Submission Options	4
Very Low Birth Weight (VLBW) Data Submission	4
Expanded Data Submission	
Selecting a Data Submission Option	
File Formatting Requirements	
File Format Options	6
Required Data Fields	7
Submission Methods	7
Export Types	8
Record Keys	9
Records of Infants Who Die in the Delivery Room or in a Resuscitation Area w	ithin 12 Hours of Birth and Prior
to NICU Admission	10
Coding N/A Values for Delivery Room Deaths	12
Network File Processing and Error Checking	15
Data Completeness and Accuracy	15
Annual Changes to the Database	15
Group File Submissions	15
Vermont Oxford Network Support	16
Assistance with Data Submissions	16
Assistance with Membership	16
Appendix A, 2024 Data Fields Table	17
Introduction	17
Data Fields Table	17
Appendix B, 2024 Data Booklets	37
2024 Patient Data Booklet for VLWB Centers	37
2024 Patient Data Booklet for Expanded Centers	
2024 Delivery Room Death Booklet for VLBW Centers	
2024 Delivery Room Death Booklet for VLBW Centers	54

Purpose of Member Instructions for Electronic Data Submission (EDS)

These instructions supplement the Vermont Oxford Network Database Manual of Operations by providing Members with advice and assistance for collecting and submitting data in electronic format. This document provides specifications for application programmers who design and develop systems in support of the Vermont Oxford Network Database, as well as guidelines for center staff members who enter and submit electronic data files to the Network.

Patient Privacy

Privacy rules defined in the Health Insurance Portability and Accountability Act of 1996 (HIPAA) specify that certain patient-specific information items, including dates, are personal identifiers and classify these items as "protected health care information" (PHI).

Vermont Oxford Network does not generally accept protected health care information from member centers. Vermont Oxford Network does accept protected health care information, as defined in the Health Insurance Portability and Accountability Act of 1996 (HIPAA), from members who have both voluntarily elected to send this information in addition to the standard Vermont Oxford Network dataset and who have signed an appropriate Business Associate Agreement.

Members with questions about patient privacy or electronic submission should contact the Network HIPAA Coordinator (hipaa@vtoxford.org) and their local Patient Safety Officer or HIPAA Compliance Officer. If you do not know if your center is certified for PHI, contact your Network Account Manager.

Revisions for 2024

This section describes the changes to data items and procedures for 2024 electronic submissions, as compared to 2023.

- A. New Data Items: There are no new Data Items for 2024.
- B. **Modified Data Items:** The description of Data Item DRLMA has changed from Laryngeal Mask Airway During Initial Resuscitation to Supraglottic Airway Device during Initial Resuscitation. The Data Item Name (DRLMA) has not changed.
- C. Discontinued Data Items: There are no discontinued Data Items for 2024.
- D. Other Changes: There are no other changes for 2024.

Introduction

The purpose of these instructions is to assist Member centers with creating and submitting properly formatted data files to Vermont Oxford Network (VON or "the Network"). These instructions apply to all data files submitted in 2024, regardless of the birth year of records included in the files. Data files submitted on or after January 1, 2024, must be submitted in accordance with these instructions. Please continue to use the 2023 EDS Instructions, located at www.vtoxford.org/downloads, for file submissions through December 31, 2023.

You may submit records for only the current year and three prior years. For data definitions, please use the Vermont Oxford Network Database Manual of Operations applicable to the birth year of the relevant infant record.

The Vermont Oxford Network Database Manual of Operations for Infants Born in 2024, Release 28.0, has been published and provides 2024 data booklets, definitions of Data Items, and guidelines for submitting data for infants born in 2024. The purpose of the instructions in this document is to supplement the Database Manual of Operations by providing Members with advice and assistance for collecting and submitting data in electronic format. These instructions provide specifications to application programmers who design and develop systems in support of the Vermont Oxford Network Database. If you need further assistance with electronic data submission, please contact your VON Account Manager (Section X on page 14).

Vermont Oxford Network Mission

The mission of Vermont Oxford Network is to improve the quality, safety, and value of care for newborn infants and their families through a coordinated program of data-driven quality improvement, education, and research. In support of this mission, the Network maintains a Database including information about the care and outcomes of infants treated at Member institutions.

Network Databases and Electronic Data Submission Options

Centers who join the Network need to select whether to participate in either Very Low Birth Weight (VLBW) data submission or Expanded data submission. Eligibility criteria for these submission options are specified in the Vermont Oxford Network Database Manual of Operations, Part 1, which is available at www.vtoxford.org/downloads.

Very Low Birth Weight (VLBW) Data Submission

VLBW data submission includes any live born infant whose birth weight is less than or equal to 1500 grams OR whose gestational age is less than or equal to 29 weeks 6 days who is admitted to or dies in any location in your center within 28 days of birth. VLBW Data is captured from the Patient Data Booklet. For infants who die in the delivery room or any other location in your hospital within 12 hours after birth and prior to admission to the NICU, the Delivery Room Death Booklet is used to capture data.

VLBW Data participants do not submit the Supplemental Data Items (Appendix A, Supplemental Data Items section) for any infant record.

Expanded Data Submission

Members participating in Expanded data submission submit data for eligible VLBW infants, as well as for infants over 1500 grams or 29 weeks 6 days who are not eligible for VLBW data submission but who are, within 28 days of birth, either admitted to a neonatal intensive care unit, or die at any location in your center.

Expanded Data participants submit the Supplemental Data Items (<u>Appendix A, Supplemental Data Items section</u>) for all eligible infants, including VLBW infants.

Selecting a Data Submission Option

Members may submit data electronically using the procedures described in these instructions or using the Network's eNICQ software.

To learn more about eNICQ, visit the Network web site https://public.vtoxford.org/enicq-6/.

Before submitting electronic data to the Network, Members must work with a VON Account Manager to set up an account for electronic data submission (EDS). Contact your center's Account Manager for details (see page 16).

File Formatting Requirements

The following file formats are currently supported. Additional export formats may be supported with prior approval.

File Format Options

1. XML File Format (preferred):

The root element of the document is <tbl/>tblVtOxUd> which should contain the following attributes: ALLRECORDS (indicating whether this is an AllRecords file), FILEDATE (in XML datetime format), FILENUM (next file number in sequential order), APPLICATION (used to create the file), VERSION (of APPLICATION). Each record in the file is wrapped by a <row> element and each <row> must have at a minimum <HOSPNO>, <ID>, and <BYEAR>. While order of the data fields is not important, capitalization is. All data fields are capitalized, as are the file attributes mentioned previously. Datetime data elements must include a time component and should use the following format: "YYYY-MM-DDThh:mm:ss". For example: 2017-04-07T16:49:06.547125-04:00 The file must be named HxxxxEDSyyyy.xml, where xxxx represents the 4-digit Vermont Oxford Network Hospital Number and yyyy represents the 4-digit file number. The file number (FILENUM) field is described in paragraph G of this section. Use leading zeros when necessary for the hospital number and file number, e.g., H0355EDS0025.xml for hospital 355, file number 25. For more information on the standard, the XML Schema Definition (XSD) file used in validation of XML file submissions can be helpful in creating your XML file. The XML Schema Definition file and a sample XML file can be found in an article in the VON Help Center at this link: https://vtoxford.zendesk.com/hc/enus/articles/4402740234515-EDS-Sample-File-and-Schema.

Please contact the Vermont Oxford Network Technical Support Team, support@vtoxford.org, if you need assistance with submitting XML files.

2. Comma Delimited ASCII Text File Format (CSV files):

Each record must be terminated by a carriage control / line feed pair (ASCII characters 13 and 10). The first record must be column headers, using the field names in Appendix A on page 16. The order of the data fields is not important. Do not include other header records or trailer records. Fields and column headers must be separated by commas (ASCII character 44). Dates must be exported in mm/dd/yyyy format. The text fields BDEFECT and OSRGDESC must be enclosed in double quotes (ASCII character 34), with no embedded double quotes in the body of the text. The file must be named HxxxxEDSyyyy.csv, where xxxx represents the 4-digit Vermont Oxford Network Hospital Number and yyyy represents the 4-digit file number. The file number (FILENUM) field is described in paragraph G of this section. Use leading zeros when necessary for the hospital number and file number, e.g. H0355EDS0025.csv for hospital 355, file number 25.

A sample .CSV file can be found in the VON Help Center at this link: https://vtoxford.zendesk.com/hc/en-us/articles/4402740234515-EDS-Sample-File-and-Schema.

Note: Use double quotes for the BDEFECT and OSRGDESC fields, even if the answers are coded "N/A" ("77") or "UNKNOWN" ("99").

Required Data Fields

1. XML Files:

Files in XML format must at a minimum include the following fields in each file submitted (see Appendix A): FILENUM, FILEDATE, HOSPNO, ID and BYEAR. Fields with null values should not be included in XML files.

2. CSV Files:

Files in CSV format must at a minimum include the following fields in each file submitted (see Appendix A): FILENUM, FILEDATE, HOSPNO, ID and BYEAR. CSV files may include fields with null values, including the Supplemental Data Item fields. If Members that only participate in VLBW data submission choose to submit the Supplemental Data Items, the fields should be populated with N/A codes as shown in Appendix A.

Submission Methods

Members should submit electronic files to the Network using the Quick Link on the VON Data Management Summary page. Access to the Data Management Summary page requires a VON Services Login and Data Management permission. If you cannot access Data Management, please contact your center's Web Services Administrator or your center's VON Account Manager.

- The Data Management Summary page is at the following URL: https://datamanagement.vtoxford.org/
- 2. After logging on to the Data Management Summary page, click Electronic File Submission tab:




Figure 1: Electronic File Submission page

From the Upload Data screen, browse to the file to be uploaded, choose it, and click Upload File – the submission process is automatic. Either .csv or .xml files may be sent using this method. The file is encrypted using the 256-bit secure sockets layer (SSL) protocol. After the file is uploaded, you will be notified that the process is complete.

Data submission for Members using eNICQ is handled by the eNICQ software.

Export Types

Members must have the capability to submit two types of electronic files.

- New/Updated/Deleted Records Export: Routine data files submitted by Members to the Network need only include new, updated, and deleted records. Static records (unchanged since the last export) need not be re-sent but will be accepted.
- 2. **All Records Export**. In special circumstances, Members may be asked to submit all records (including New, Updated, Deleted, and Static records). This may be necessary to verify that all records are processed correctly.

Range Checking

Prior to export by the Member, data should be subjected to appropriate range checks for each field, as described in Appendix A. To avoid errors, there should be no out-of-range value for any field included in a submitted record. Additional validation of Data Items is performed by Vermont Oxford Network after the data has been received.

Data Editing and Field Updates

Members must have the capability of editing every field submitted in electronic records. This is necessary because the Network normally will not change data sent electronically. Except in very unusual situations, all data inconsistencies must be corrected by the Member with an electronic data submission.

Housekeeping Fields

The following fields are used for record and file control. Although these fields are not included in the Vermont Oxford Network data booklets, they are part of the export file structure as indicated in Appendix A.

- 1. <u>File Number (FILENUM)</u> The FILENUM field must be <u>sequentially numbered</u> by the Member's system to uniquely identify each electronic file submitted to the Network (no gaps in sequence). The first file submitted after certification normally has file number 0001. Every file submitted after the first submission must have the file number incremented by 1 so that missing file submissions can be identified. Every record in an export file must have the same File Number. Files submitted with non-sequential file numbers will be rejected, resulting in an email to your center's Data Contact with information on the steps needed to resolve the problem.
- 2. <u>File Date (FILEDATE)</u> The FILEDATE field identifies the date that the file was exported from the Member's system. Every record in a file must have the same File Date.

3. <u>Deleted Records (DELETED)</u> – There are occasions when an infant record must be removed from the database. For example, a user may discover that a reported infant was not eligible. To accommodate these situations, each record must include a field named DELETED. To delete a record, the DELETED field must be coded with the numeric value 1. For records that have not been deleted, the DELETED field should be left blank. When a valid or deleted record has been submitted to the Network, the ID number of the infant must not be re-used for another infant.

Note: Records deleted before being exported to the Network may be removed from the Member's computer system entirely and the ID number may be reused.

- 4. <u>Application Used to Submit Records (APPLICATION)</u> This text field names the computer software which is used to submit to the Network. Although not required, the application name will be useful if Network assistance is needed to resolve file submission problems.
- 5. <u>Application Version (VERSION)</u> This text field identifies the version number of the computer software application which is used for data submissions. Although not required, the application version information will be useful if Network assistance is needed to resolve file submission problems.
- 6. <u>All Records File (ALLRECORDS)</u> This indicates whether an all records file is being submitted. The field is coded 0 or left blank if the file is not an All Records file and is coded 1 if the file is an All Records file. All Records files should be limited to all records of infants born during the past four years, if your center has participated that long. Records for infants born more than three years prior to the current year are considered archived and are not processed. For example, in 2024, records of infants born in 2020 and prior years are archived and may not be submitted.

Record Keys

The Center Number (HOSPNO) and Network Patient Identification Number (ID) fields must uniquely identify each record in an exported file.

- 1. The HOSPNO field should be completed with the confidential Center Number provided to the Member by the Network. If you are submitting files on behalf of more than one center (e.g., for a group), please see section IX for instructions.
- 2. Each patient record must include a unique Network Patient Identification Number (ID), which is assigned based on procedures described in the Manual of Operations. No two infants at a center may have the same ID.

Records of Infants Who Die in the Delivery Room or in a Resuscitation Area within 12 Hours of Birth and Prior to NICU Admission

For infants who die in the delivery room or in a resuscitation area within 12 hours of birth and prior to NICU admission, the fields which appear on the general Infant Data Booklet, but which do not appear on the Delivery Room Death Booklet, must be coded using the appropriate not applicable (N/A) code provided in Appendix A.

If your center submits Expanded Data, two of the Supplemental Data fields apply to infants who die in the delivery room; other Supplemental Data fields should be coded as not applicable. The Supplemental Data fields which are applicable are: Meconium Aspiration Syndrome (MECASP) and Tracheal Suctioning for Meconium Attempted in the Delivery Room (TRCSUCMA).

Records of Infants Who Do Not Transfer

If an infant does not transfer from your center to another hospital, all Transfer and Readmission Data Items should be submitted with the appropriate N/A codes, as specified in Appendix A.

Coding of Unknown Data Items for Dependent Fields

For the database to be useful for quality improvement, Data Items must be as complete and accurate as possible. When data cannot be obtained, however, Data Items must be coded as "Unknown" (see Appendix A for "Unknown" codes). When one Data Item depends on another, this affects the coding of unknown values. For example, if it is unknown whether the infant had a cranial ultrasound on or before day 28 (Data Item *Cranial Imaging on or before Day 28*), then this variable (USOUND1) should be coded as "Unknown" (9), and the dependent field *Periventricular-Intraventricular Hemorrhage (PIH), Worst Grade* should also be coded as "Unknown" (9).

The table below shows the 2024 dependent fields, as well as the fields on which these depend. Dependent fields should be coded as "Unknown" whenever the fields on which they depend are unknown.

Note: Do not use the "Unknown" codes to temporarily fill fields until data can be obtained. Only code fields as "Unknown" when all reasonable attempts have been made to obtain the data and it is determined that the data are not obtainable.

Dependent Data Items for Coding Unknown Values

Dependent Field: 2024 Field Name	Depends on: 2024 Field Name
DAYADMISS	LOCATE or DISCHOME
TRANSCODE_IN	LOCATE
NBIRTHS	MULT
CONGENINFCD1-CONGENINFCD3	CONGENINF
ATEMP	ATEMPM
EBSEPSCD1-EBSEPSCD3	EBSEPS
UGRADE1	USOUND1
PIHWFO	USOUND1; UGRADE1
NCF_GT_2L	NCF
SURF1DHR	SURFX
SURF1DMIN	SURFX; SURF1DHR
INOWG	INO
NCF36_GT_2L	NCF36
STERBPDWG	STERBPD
ROPSURGWD	ROPSURG
SRGCD1-SRGCD10	PDASURG, OSURG or NECSURG
SRGLOC1-SRGLOC10	SRGCD1-SRGCD10
SRGSSI1-SRGSSI10	SRGCD1-SRGCD10 and SRGLOC1- SRGLOC10
OSRGDESC	OSURG
PNTXWO	PNTX
NECWO	NEC
LBPATHWO	LBPATH
LBPATHCD1-LBPATHCD3	LBPATH
CNEGWO	CNEGSTAPH
FUNGALWO	FUNGAL
ISTAGE	EYEX
BDCD1-BDCD5	CMAL
BDEFECT	CMAL
NCFFINAL_GT_2L	NCFFINAL
TRANSCODE	FDISP
XFER_CTR	FDISP
F2DISP	FDISP
F3DISP	FDISP; F2DISP
F3WGT	FDISP; F2DISP
UDISP	FDISP; F2DISP; F3DISP
Supplemental Data Items (Expanded Data Centers Only)	Depends on: 2024 Field Name
VENTDAYS	DURVENT
COOLMETH	COOLED
COOLLEVEL	COOLED
HYPOIEP	GAWEEKS
HYPOIES	HYPOIEP
TRCSUCMA	MECASP
NASTREAT	NAS
NASTREATWG	NASTREAT

Coding N/A Values for Delivery Room Deaths

Any eligible inborn infant who dies in the delivery room or at any other location in your hospital within 12 hours after birth and prior to admission to the NICU is defined as a "Delivery Room Death." Several Data Items are coded as Not Applicable (N/A) for infants who meet the Delivery Room Death criteria. The following Data Items should be coded N/A if the Data Item DELDIE is coded Yes (1). See Appendix A for additional coding information for each Data Item.

Coding N/A Values for Delivery Room Deaths

DOA	2024 Field Name	N/A code
Certified T/7/1907 Center is certified for PHI; blank if not certified Certified T/7/1907 Center is certified Certified Certified T/7/1907 Center is certified Certified Certified T/7/1907 Certified Cer	DOA	
DFD certified DFD 7/7/1907 if center is certified for PHI; blank if not certified DAYADMISS 77 TRANSCODE_IN 77 OUTB_CTR 777777777 ATEMPM 7 ATEMP 777.7 DIE12 7 EBSEPS 7 EBSEPSCD1 7777 EBSEPSCD2 77777 EBSEPSCD3 77777 NEWOX28 7 USOUND1 7 UGRADE1 7 PIHWFO 7 OXY 7 VENT 7 NCF 7 NCF_GT_2L 7 NIMV 7 CPAP 7 INOWG 7 VENT36 7 V	BO/1	
DFD 7/7/1907 if center is certified for PHI; blank if not certified DAYADMISS 77 TRANSCODE_IN 77 OUTB_CTR 7/7777777 ATEMPM 7 ATEMP 777.7 DIE12 7 EBSEPSCD1 77777 EBSEPSCD2 77777 EBSEPSCD3 77777 NEWOX28 7 USOUND1 7 UGRADE1 7 PIHWFO 7 OXY 7 VENT 7 HFV 7 NCF 7 NCF 7 INO 7 <tr< td=""><td>DID</td><td></td></tr<>	DID	
DAYADMISS 77 DAYADMISS 77 OUTB_CTR 7777777 ATEMPM 7 ATEMPM 77 ATEMP 777.7 DIE12 7 EBSEPS 7 EBSEPSCD1 7777 EBSEPSCD2 77777 EBSEPSCD3 77777 NEWOX28 7 USOUND1 7 UGRADE1 7 PIHWFO 7 VENT 7 VENT 7 NCF_GT_2L 7 NIMV 7 CPAP 7 INO 7 INOWG 7 VENT36 7 VENT37 7 VENT36 7 VENT37 7 VENT37 7 VENT37 7 VENT37 7 VENT38 7 VENT38 7 VENT39 7 VEN	252	
TRANSCODE_IN 77 OUTB_CTR 7777777 ATEMPM 7 ATEMPM 77 ATEMPM 77 ATEMPM 77 ATEMPM 77 ATEMPM 77 BESEPS 7 EBSEPS 7 EBSEPS 7 EBSEPSCD1 7777 EBSEPSCD2 7777 EBSEPSCD3 7777 NEWOX28 7 USOUND1 7 UGRADE1 7 PIHWFO 7 OXY 7 VENT 7 HFV 7 NCF 7 NCF 7 NCF_GT_2L 7 NIMV 7 INOWG 7 INOWG 7 OX36 7 VENT36 7 NCF36 7 N	DFD	
OUTB_CTR 7777777 ATEMPM 7 ATEMPM 77 ATEMP 777.7 DIE12 7 EBSEPS 7 EBSEPSCD1 7777 EBSEPSCD2 77777 EBSEPSCD3 77777 NEWOX28 7 USOUND1 7 UGRADE1 7 PIHWFO 7 OXY 7 VENT 7 NCF	DAYADMISS	77
ATEMPM 7 ATEMP 777.7 DIE12 7 EBSEPS 7 EBSEPS 7 EBSEPSCD1 7777 EBSEPSCD2 7777 EBSEPSCD3 7777 NEWOX28 7 USOUND1 7 UGRADE1 7 PIHWFO 7 OXY 7 VENT 7 HFV 7 NCF 7 NCF_GT_2L 7 NIMV 7 CPAP 7 INO 7 INOWG 7 OX36 7 VENT36 7 NCF36 7 NC	TRANSCODE_IN	77
ATEMP 777.7 DIE12 7 DIE12 7 EBSEPS 7 EBSEPSCD1 7777 EBSEPSCD2 7777 EBSEPSCD3 7777 NEWOX28 7 USOUND1 7 UGRADE1 7 PIHWFO 7 OXY 7 VENT 7 HFV 7 NCF 7 NCF_GT_2L 7 NIMV 7 INO 7 INO 7 INO 7 INO 7 INOWG 7 OX36 7 VENT36 7 NCF36 7 N	OUTB_CTR	7777777
DIE12 7 EBSEPS 7 EBSEPSCD1 7777 EBSEPSCD2 7777 EBSEPSCD3 77777 NEWOX28 7 USOUND1 7 UGRADE1 7 PIHWFO 7 OXY 7 VENT 7 HFV 7 NCF 7 NCF_GT_2L 7 NIMV 7 CPAP 7 INO 7 INOWG 7 OX36 7 VENT36 7 HFV36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	ATEMPM	7
EBSEPS EBSEPSCD1 EBSEPSCD2 ESSEPSCD3 7777 EBSEPSCD3 7777 NEWOX28 7 USOUND1 7 UGRADE1 7 PIHWFO 7 OXY 7 VENT HFV 7 NCF_GT_2L NIMV 7 CPAP 1NO 1NO 7 OX36 7 VENT36 7 HFV36 7 NCF36_GT_2L NIMV36 7 NCF36_GT_2L NIMV36 7 CPAP36 7 NCF36_GT_2L NIMV36 7 CPAP36 7 STERBPDWG 7 INOMETH 7 INOMETT 7 INOM	ATEMP	777.7
EBSEPSCD1 7777 EBSEPSCD2 77777 EBSEPSCD3 77777 NEW0X28 7 USOUND1 7 UGRADE1 7 PIHWFO 7 OXY 7 VENT 7 HFV 7 NCF 7 NCF_GT_2L 7 NIMV 7 CPAP 7 INO 7 INOWG 7 OX36 7 VENT36 7 VENT36 7 NCF36 GT_2L 7 NIMV36 7 CPAP36 STERBPDWG 7 STERBPDWG 7 INDOMETH 7 STERBPDWG 7 INDOMETH 7 INTOMETT 7	DIE12	7
EBSEPSCD2 7777 EBSEPSCD3 7777 NEWOX28 7 USOUND1 7 UGRADE1 7 PIHWFO 7 OXY 7 VENT 7 NCF_CT_2L 7 NIMV 7 CPAP 7 INO 7 INOWG 7 OX36 7 VENT36 7 HFV36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPDWG 7 STERBPDWG 7 INDOMETH 7 STERBPDWG 7 INDOMET 7 STERBPDWG 7 INDOMET 7 IND	EBSEPS	7
EBSEPSCD3 77777 NEWOX28 7 USOUND1 7 UGRADE1 7 PIHWFO 7 OXY 7 VENT 7 HFV 7 NCF 7 NCF_GT_2L 7 NIMV 7 CPAP 7 INO 7 INOWG 7 OX36 7 VENT36 7 HFV36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	EBSEPSCD1	7777
NEWOX28 7 USOUND1 7 UGRADE1 7 PIHWFO 7 OXY 7 VENT 7 HFV 7 NCF 7 NCF_GT_2L 7 NIMV 7 CPAP 7 INO 7 INOWG 7 OX36 7 VENT36 7 HFV36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	EBSEPSCD2	7777
USOUND1 7 UGRADE1 7 PIHWFO 7 OXY 7 VENT 7 HFV 7 NCF 7 NCF_GT_2L 7 NIMV 7 CPAP 7 INO 7 INOWG 7 OX36 7 VENT36 7 HFV36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	EBSEPSCD3	7777
UGRADE1 7 PIHWFO 7 OXY 7 VENT 7 HFV 7 NCF 7 NCF_GT_2L 7 NIMV 7 CPAP 7 INO 7 INOWG 7 OX36 7 VENT36 7 HFV36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	NEWOX28	7
PIHWFO 7 OXY 7 VENT 7 HFV 7 NCF 7 NCF_GT_2L 7 NIMV 7 CPAP 7 INO 7 INOWG 7 OX36 7 VENT36 7 HFV36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	USOUND1	7
OXY 7 VENT 7 HFV 7 NCF 7 NCF_GT_2L 7 NIMV 7 CPAP 7 INO 7 INOWG 7 OX36 7 VENT36 7 HFV36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	UGRADE1	7
VENT 7 HFV 7 NCF 7 NCF_GT_2L 7 NIMV 7 CPAP 7 INO 7 INOWG 7 OX36 7 VENT36 7 HFV36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	PIHWFO	7
HFV 7 NCF 7 NCF_GT_2L 7 NIMV 7 CPAP 7 INO 7 INOWG 7 OX36 7 VENT36 7 HFV36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	OXY	7
NCF 7 NCF_GT_2L 7 NIMV 7 CPAP 7 INO 7 INOWG 7 OX36 7 VENT36 7 HFV36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	VENT	7
NCF_GT_2L 7 NIMV 7 CPAP 7 INO 7 INOWG 7 OX36 7 VENT36 7 HFV36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	HFV	7
NIMV 7 CPAP 7 INO 7 INOWG 7 OX36 7 VENT36 7 HFV36 7 NCF36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	NCF	7
CPAP 7 INO 7 INOWG 7 OX36 7 VENT36 7 HFV36 7 NCF36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	NCF_GT_2L	7
INO 7 INOWG 7 OX36 7 VENT36 7 HFV36 7 NCF36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	NIMV	7
INOWG 7 OX36 7 VENT36 7 HFV36 7 NCF36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	CPAP	7
OX36 7 VENT36 7 HFV36 7 NCF36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	INO	7
VENT36 7 HFV36 7 NCF36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	INOWG	7
HFV36 7 NCF36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	OX36	7
NCF36 7 NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	VENT36	7
NCF36_GT_2L 7 NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	HFV36	7
NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	NCF36	7
NIMV36 7 CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7	NCF36_GT_2L	7
CPAP36 7 STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7		
STERBPD 7 STERBPDWG 7 INDOMETH 7 IBUPROFEN 7		7
INDOMETH 7 IBUPROFEN 7		7
INDOMETH 7 IBUPROFEN 7	STERBPDWG	7
IBUPROFEN 7		7
	ACETAMIN	7

2024 Field Name	N/A code
PROBIOTICS	7
ROPANTIVEGF	7
CAFFEINE	7
VITAMINA	7
ROPSURG	7
ROPSURGWD	7
PDASURG	7
NECSURG	7
OSURG	7
SRGCD1	"77"
SRGLOC1	7
SRGSSI1	7
SRGCD2	"77"
SRGLOC2	7
SRGSSI2	7
SRGCD3	"77"
SRGLOC3	7
SRGSSI3	7
SRGCD4	"77"
SRGLOC4	7
SRGSSI4	7
SRGCD5	"77"
	7
SRGLOC5	
SRGSSI5	7
SRGCD6	"77"
SRGLOC6	7
SRGSSI6	
SRGCD7	"77"
SRGLOC7	7
SRGSSI7	7
SRGCD8	"77"
SRGLOC8	7
SRGSSI8	7
SRGCD9	"77"
SRGLOC9	7
SRGSSI9	7
SRGCD10	"77"
SRGLOC10	7
SRGSSI10	7
OSRGDESC	"77"
RDS	7
PNTX	7
PNTXWO	7
PDA	7
NEC	7
NECWO	7
GIPERF	7
GIPERFWO	7
SIP7LBPATH/LBPATHWO	7
LBPATHCD1	7777

2024 Field Name	N/A code
LBPATHCD2	7777
LBPATHCD3	7777
CNEGSTAPH	7
CNEGWO	7
FUNGAL	7
FUNGALWO	7
PVL	7
EYEX	7
ISTAGE	7
ENTFEED	7
OXFINAL	7
VENTFINAL	7
HFVFINAL	7
HFNCFINAL	7
NCFFINAL	7
NCFFINAL_GT_2L	7
NIMVFINAL7CPAPFINAL	7
ACFINAL	7
FDISP	7
DWGT	77777
DHEADCIR	777.7
TRANSCODE_OUT	77
XFER_CTR	77777777
F2DISP	7
F3DISP	7
F3WGT	77777
UDISP	7
LOSTOT	777
DISCHOME	7
DURVENT	7
VENTDAYS	7777
ECMOP	7
COOLED	7
COOLMETH	7
COOLLEVEL	7
HYPOIEP	7
HYPOIES	7
SEIZURE	7
NAS7NASTREAT	7
NASTREATWG	7

Network File Processing and Error Checking

Files submitted to the Network in the appropriate format and record structure will be processed. Otherwise, files will be rejected, and the Member's Data Contact notified by email. Error checking includes an extensive series of range, logic, and consistency tests. Incomplete records may be submitted, but some error checks cannot be done if data are missing from the record. Records are processed as logical forms, corresponding to the Data Items as listed in the data collection booklets, and each processed form is assigned a status code. The Data Fields Table in Appendix A shows the fields for VLBW and Expanded records. Members can view data summaries with specific error and warning messages in the Data Management section of the Member's Area on the Network web site, https://datamanagement.vtoxford.org/.

Data Completeness and Accuracy

Records must be submitted on all eligible infants. All fields in records submitted electronically must be verified by the Member as adhering to the definitions and procedures described in the Manual of Operations.

Annual Changes to the Database

The Network Database is reviewed annually by the Database Advisory Committee. Please see Revisions for 2024 on page 1 for a description of all changes for the 2024 birth year.

Group File Submissions

Prior to first submission of files that include data for more than one hospital (two or more Network center numbers), the group must coordinate file submission with the Groups Coordinator. For questions about group file submissions, email support@vtoxford.org. Group files are submitted in the same structure as shown in Appendix A, but must be named and numbered differently, and housekeeping fields are completed differently as compared to individually submitted hospital files.

Vermont Oxford Network Support

Assistance with Data Submissions

For assistance with technical questions, contact VON Technical Support by email at support@vtoxford.org, or by phone at (802) 865-4814, extension 240.

Assistance with Membership

For questions about membership or changes to database participation, please contact your Account Manager, (802) 865-4814, at the extension below.

Account Manager	Extension	Email
Ciera Audette	244	CAudette@vtoxford.org
Amy Briody	252	ABriody@vtoxford.org
Denise Schomody	260	DSchomody@vtoxford.org
Erika Smith	280	ESmith@vtoxford.org
Sophie Ullman	212	SUllman@vtoxford.org

Note: Please <u>do not</u> send electronic data submissions to your Network Account Manager. Submit files as specified under <u>Submission Methods</u> on page 7.

Appendix A, 2024 Data Fields Table

Introduction

This Appendix specifies the data fields to be submitted for VLBW and Expanded data submission in 2024 and summarizes changes to submissions in 2024 as compared to 2023.

Data Fields Table

The Data Fields Table below includes the 2024 Field Name, a brief description of the field, the Field Type, and the Field Codes and Ranges.

- Applicability. The Data Fields Table applies to any electronic data file submitted on or after January 1, 2024, even if all infants reported in the file were born prior to 2024. Files submitted in 2024 may include data for infants born between 2021 and 2024 if your center was certified to submit electronic data in these years.
- 2. Electronically Submitted Records. At the minimum, infant records submitted in 2024 must include the following fields for each eligible infant (see the Data Fields Table below for details for each Data Item): Housekeeping Fields FILENUM, FILEDATE, DELETED, and ALLRECORDS, and general infant data fields HOSPNO, ID, and BYEAR. For records to be considered complete, values for all General Data Items must be provided. Centers participating in Expanded data submission must also submit values for the Supplemental Data Items for each eligible infant. Members choosing the VLBW option should code the Supplemental Data Items as N/A (or exclude them from .xml submissions). Note: Please submit records with fields ordered as listed in the Data Fields Table.
- 3. <u>Changes to the Data Fields Table for 2024</u>: Please see <u>page 3</u> of this document for all changes. In Appendix A, discontinued fields are highlighted in blue, new fields are highlighted in green, coding changes are highlighted in pink, and moved items are highlighted in orange.

		Field	
Field Name	Description	Type	Field Codes and Ranges
	Housekeeping Fields		
FILENUM	Sequential File Submission Number	Integer	Range: Sequential positive integer
FILEDATE	File Submission Export Date	Date	Range: Valid date, mm/dd/yyyy
DELETED	Record Deleted	Byte	Range: 1 if record is deleted, blank otherwise
APPLICATION	Application Submitting the Data File	Text25	
VERSION	Version of Application Submitting the Data File	Text15	
ALLRECORDS	Type of file submitted (All Records or Update)	Byte	Range: 0 or blank if not an All Records file, 1 if an All Records File (all records for infants born between 2021 and 2024 in your center database)
	PHI Fields		
DOB	Date of Birth	Date	Range: Valid date, mm/dd/yyyy if center is certified for PHI; blank if center is not certified for PHI
DOA	Date of Admission	Date	Range: 7/7/1907 if [DELDIE=1] and center is certified for PHI; Valid date, mm/dd/yyyy if [DELDIE=0] and center is certified for PHI; blank if center is not certified for PHI; Codes: 7/7/1907=NA
DID	Date of Initial Disposition	Date	Range: 7/7/1907 if [DELDIE=1] and center is certified for PHI; 9/9/1909 if [FDISP]=[9]; Valid date, mm/dd/yyyy if [DELDIE=0] and center is certified for PHI; blank if center is not certified for PHI; Codes: 7/7/1907=NA; 9/9/1909=Unknown
DFD	Date of Final Disposition	Date	Range: 7/7/1907 if {[DELDIE]=1 or [FDISP] in (1,3,5)} and center is certified for PHI; 9/9/1909 if [FDISP]=2 and ([F2DISP]=9 or [F3DISP]=9 or [UDISP]=9) and center is certified for PHI; Valid date, mm/dd/yyyy if center is certified for PHI and [FDISP]=2; blank if center is not certified for PHI; Codes: 7/7/1907=NA, 9/9/1909=Unknown
	General Data Items		
HOSPNO	Center Number	Integer	Range: Network-assigned hospital number
ID	Network Patient Identification Number	Integer	Range: Positive integer between 1 and 999,999 (sequential from Start ID Number)
BYEAR	Birth Year	Integer	Range: 2021 to 2024

		Field	
Field Name	Description	Type	Field Codes and Ranges
BWGT	Birth Weight (grams)	Long	Range: VLBW data submission: 401 to 1500 grams or may be < 401 or > 1500 if GAWEEKS is between 22 and 29 and [BYEAR] ≤ 2021; ≤ 1500 grams or may be > 1500 grams if [GAWEEKS] ≤ 29 and [BYEAR] ≥ 2022; Expanded data submission: Same as VLBW Database but also includes infants > 1500 grams who are otherwise eligible. See eligibility criteria in Manual of Operations.
			Codes: 99999=Unknown
GAWEEKS	Gestational Age, Weeks	Integer	Range: 15 to 46, 99 if [BYEAR] ≤ 2021; 1 to 46, 99 if [BYEAR]≥ 2022; Codes: 99=Unknown
GADAYS	Gestational Age, Days	Integer	Range: 0 to 6, 99; Codes: 99=Unknown
DELDIE	Died in Delivery Room or, if inborn, in an initial resuscitation area within 12 Hours of Birth and Prior to NICU Admission	Byte	Range: 0, 1; Codes: 0=No, 1=Yes
LOCATE	Location of Birth	Byte	Range: 0, 1; Codes: 0=Inborn; 1=Outborn
DAYADMISS	Day of Admission to Your NICU	Integer	Range: 77 if [DELDIE] =1; 1 if ([BYEAR] = 2020) and [LOCATE]=0 and [DISCHOME]=0, 7, 9) or ([BYEAR] ≥ 2021 and [LOCATE]=0 and [DISCHOME] in (0,7)); 1 to 28 if [BYEAR] ≥ 2020 and ([LOCATE]=1 or [DISCHOME]=1); Codes: 77=N/A
TRANSCODE_IN	Reason for Transfer In	Byte	Range: 77 if [BYEAR] ≥ 2022 and [LOCATE]=0; 0 to 6, 99 if [BYEAR] ≥ 2022 and [LOCATE]=1; Codes: 0=ECMO, 1=Growth/ Discharge Planning, 2=Medical/Diagnostic Services, 3=Surgery, 4=Chronic Care, 5=Other, 6=Hypothermic Therapy, 77=N/A, 99=Unknown
OUTB_CTR	Transfer Code of Center from which Infant Transferred (outborn infants only) (List available at https://public.vtoxford.org/transfer-codes/)	Long	Range: 77777777 if [LOCATE]=0; Transfer Code provided by VON or 99999999 if [LOCATE]=1; Codes: 77777777=N/A, 99999999=Unknown

		Field	
Field Name	Description	Type	Field Codes and Ranges
BHEADCIR	Head Circumference at Birth (in cm to nearest 10 th of a cm)	Single	Range: 10.0 to 70.0, 999.9; Codes: 999.9=Unknown
HISP	Ethnicity of Mother	Byte	Range: 0, 1, 9; Codes: 0=Not Hispanic, 1=Hispanic, 9=Unknown
MATRACE	Race of Mother	Byte	Range: 1, 3, 4, 5, 6, 7, 99; Codes: 1=Black or African American, 3=White, 4=Asian, 5=American Indian or Alaska Native, 6=Native Hawaiian or Other Pacific Islander, 7=Other Race, 99=Unknown
PCARE	Prenatal Care	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
ASTER	Antenatal Steroids	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
AMAGSULF	Antenatal Magnesium Sulfate	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
CHORIO	Chorioamnionitis	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
MHYPERTENS	Maternal Hypertension, Chronic or Pregnancy- Induced	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
MDIABETES	Maternal Diabetes	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
VAGDEL	Mode of Delivery	Byte	Range: 0, 1, 9; Codes: 0=C-Section, 1=Vaginal, 9=Unknown
SEX	Sex of Infant	Byte	Range: 0, 1, 9; Codes: 0=Female, 1=Male, 9=Unknown
MULT	Multiple Gestation	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
NBIRTHS	Number of Infants Delivered	Integer	Range: 77 if [MULT]=0; 99 if [MULT]=9; 1 to 10, 99 if [MULT]=1; Codes: 77=N/A, 99=Unknown
CONGENINF	Congenital Infection	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
CONGENINFCD1	Congenital Infection, organism 1	Integer	Range: 7777 if [CONGENINF]=0; 9999 if [CONGENINF]=9; Congenital Infection Code if [CONGENINF]=1; Codes: 7777=N/A, 9999=Unknown, Congenital Infection in Appendix E of Manual of Operations
CONGENINFCD2	Congenital Infection, organism 2	Integer	Range: 7777 if [CONGENINF]=0 or no more infections; 9999 if [CONGENINF]=9; Congenital Infection Code if [CONGENINF]=1; Codes: 7777=N/A, 9999=Unknown, Congenital Infection in Appendix E of Manual of Operations
CONGENINFCD3	Congenital Infection, organism 3	Integer	Range: 7777 if [CONGENINF]=0 or no more infections; 9999 if [CONGENINF]=9; Congenital Infection Code if [CONGENINF]=1; Codes: 7777=N/A, 9999=Unknown, Congenital Infection in Appendix E of Manual of Operations
AP1	APGAR Score, 1 Minute	Integer	Range: 0 to 10, 99; Codes: 99=Unknown
AP5	APGAR Score, 5 Minutes	Integer	Range: 0 to 10, 99; Codes: 99=Unknown

		Field	
Field Name	Description	Type	Field Codes and Ranges
DROX	Oxygen during Initial Resuscitation	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
DRBM	Face Mask Ventilation during Initial Resuscitation	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
DRLMA	Supraglottic Airway Device during Initial Resuscitation	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
DRET	Endotracheal Tube Ventilation during Initial Resuscitation	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
DREP	Epinephrine during Initial Resuscitation	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
DRCC	Cardiac Compression during Initial Resuscitation	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
DRNIMV	Nasal Ventilation During Initial Resuscitation	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
DRCPAP	Nasal CPAP during Initial Resuscitation	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
ATEMPM	Temperature Measured within the First Hour after Admission to Your NICU	Byte	Range: 7 if [DELDIE]=1; 0, 1, 7, 9 if [DELDIE]=0; Codes: 0=No,1=Yes, 7=N/A, 9=Unknown
ATEMP	Temperature within the First Hour after Admission to Your NICU (in degrees centigrade to nearest 10 th of a degree)	Single	Range: 777.7 if [DELDIE]=1 or [ATEMPM]=0; 999.9 if [ATEMPM]=9; 20.0 to 45.0, 999.9 if [DELDIE]=0 and [ATEMPM]=1; Codes: 777.7=N/A, 999.9=Unknown
DIE12	Died within 12 Hours of Admission to Your NICU	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
EBSEPS	Bacterial Sepsis and/or Meningitis on or before Day 3	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
EBSEPSCD1	Bacterial Sepsis and/or Meningitis on or before Day 3, pathogen 1	Integer	Range: 7777 if [EBSEPS]=7; 9999 if [EBSEPS]=9; Bacterial organism code if [EBSEPS]=1; Codes: 7777=N/A, 9999=Unknown, Bacterial Pathogen Codes in Appendix B of Manual of Operations

		Field	
Field Name	Description	Type	Field Codes and Ranges
EBSEPSCD2	Bacterial Sepsis and/or Meningitis on or before Day 3, pathogen 2	Integer	Range: 7777 if [EBSEPS]=7 or no more pathogens; 9999 if [EBSEPS]=9; Bacterial organism code if [EBSEPS]=1; Codes: 7777=N/A, 9999=Unknown, Bacterial Pathogen Codes in Appendix B of Manual of Operations
EBSEPSCD3	Bacterial Sepsis and/or Meningitis on or before Day 3, pathogen 3	Integer	Range: 7777 if [EBSEPS]=7 or no more pathogens; 9999 if [EBSEPS]=9; Bacterial organism code if [EBSEPS]=1; Codes: 7777=N/A, 9999=Unknown, Bacterial Pathogen Codes in Appendix B of Manual of Operations
NEWOX28	Oxygen on Day 28	Byte	Range: 7 if [DELDIE]=1 or infant not hospitalized on Day 28; 0, 1, 9 if [DELDIE]=0 and infant hospitalized on Day 28; Codes: 0=No, 1=Yes, 7=N/A,9=Unknown
USOUND1	Cranial Imaging on or before Day 28	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
UGRADE1	Periventricular- Intraventricular Hemorrhage (PIH), Worst Grade	Byte	Range: 7 if [USOUND1] in (0,7); 9 if [USOUND1]=9; 0 to 4, 9 if [USOUND1]=1; Codes: 7=N/A, 9=Unknown
PIHWFO	PIH, where First Occurred	Byte	Range: 7 if [USOUND1] in (0, 7) or [UGRADE1]=0; 9 if [UGRADE1]=9 or [USOUND1]=9; 1, 2, 9 if [USOUND]=1 and [UGRADE1] between 1 and 4; Codes: 1=Your Hospital, 2=Other Hospital, 7=N/A, 9=Unknown
OXY	Oxygen after Initial Resuscitation	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
VENT	Conventional Ventilation after Initial Resuscitation	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
HFV	High Frequency Ventilation after Initial Resuscitation	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
HFNC (discontinued effective 2022)	High Flow Nasal Cannula after Initial Resuscitation	Byte	Range: 7 if [BYEAR] ≤ 2021 and [DELDIE]=1; 0, 1, 9 if [BYEAR] ≤ 2021 and [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
NCF	Nasal Cannula Flow after Initial Resuscitation	Byte	Range: 7 if [BYEAR] ≥ 2022 and [DELDIE]=1; 0, 1, 9 if [BYEAR] ≥ 2022 and [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
NCF_GT_2L	Flow Rate of Nasal Cannula Greater than Two Liters per Minute after Initial Resuscitation	Byte	Range: 7 if [BYEAR] ≥ 2022 and [NCF] in (0,7); 9 if [BYEAR] ≥ 2022 and [NCF]=9; 0, 1, 9 if [BYEAR] ≥ 2022 and [NCF]=1; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown

		Field	
Field Name	Description	Type	Field Codes and Ranges
NIMV	Nasal Ventilation after Initial	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes,
	Resuscitation		7=N/A, 9=Unknown
CPAP	Nasal CPAP after Initial	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes,
	Resuscitation		7=N/A, 9=Unknown
CPAPES	Nasal CPAP or Nasal	Byte	Range: 7 if [BYEAR] ≤ 2021 and ([DELDIE]=1 or ([DRCPAP]=0 and
(discontinued	Ventilation before or without		[DRNIMV]=0 and [CPAP]=0 and [NIMV]=0)); 9 if [BYEAR] \leq 2021 and $\{([DRCPAP]=9 \text{ and } [DRNIMV] \text{ in } (0,9) \text{ and } [CPAP] \text{ in } (0,9) \text{ and } [NIMV] \text{ in } (0,9) \text{ and } [NIM$
effective 2022)	ever having received ETT Ventilation		(0,9)) or ([DRCPAP]=0 and [DRNIMV]=9 and [CPAP] in (0,9) and [NIMV]
	Ventuation		in (0,9)) or ([DRCPAP=0 and [DRNIMV]=0 and [CPAP]=9 and [NIMV] in
			(0,9)) or ([DRCPAP]=0 and [DRNIMV]=0 and [CPAP]=0 and [NIMV]=9)};
			0, 1, 9 if [BYEAR] ≤ 2021 and [DELDIE]=0 and ([DRCPAP]=1 or
			[DRNIMV]=1 or [CPAP]=1 or [NIMV]=1); Codes: 0=No, 1=Yes, 7=N/A,
			9=Unknown
DDOUBE		D (
DRSURF	Surfactant during Initial Resuscitation	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
SURFX	Surfactant at any Time	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
SURF1DHR	Age at First Dose of	Integer	Range: 7777 if [SURFX]=0; 9999 if [SURFX]=9 or [SURF1DMIN]=99; 0 to
OOK IDIIK	Surfactant, Hours	Integer	6665, 9999 if [SURFX]=1; Codes: 7777=N/A; 9999=Unknown
SURF1DMIN	Age at First Dose of	Byte	Range: 77 if [SURFX]=0; 99 if [SURFX]=9 or [SURF1DHR]=9999; 0 to
	Surfactant, Minutes		59, 99 if [SURFX]=1; Codes: 77=N/A; 99=Unknown
INO	Inhaled Nitric Oxide	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes,
			7=N/A, 9=Unknown
INOWG	Inhaled Nitric Oxide, Where	Byte	Range: 7 if [INO] in (0, 7); 9 if [INO]=9; 1, 2, 3, 9 if [INO]=1; Codes:
	Given		1=Your Hospital, 2=Other Hospital, 3=Both Your Hospital and Other
OVac	Oversen at 20 Marks	Dute	Hospital, 7=N/A, 9=Unknown
OX36	Oxygen at 36 Weeks	Byte	Range: 7 if [DELDIE]=1 or infant not hospitalized at week 36; 0, 1, 9 if
			[DELDIE]=0 and infant hospitalized at week 36; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
VENT36	Conventional Ventilation at	Byte	Range: 7 if [DELDIE]=1 or infant not hospitalized at week 36; 0, 1, 9 if
VENTOO	36 Weeks	Dyto	[DELDIE]=0 and infant hospitalized at week 36; Codes: 0=No, 1=Yes,
			7=N/A, 9=Unknown
HFV36	High Frequency Ventilation	Byte	Range: 7 if [DELDIE]=1 or infant not hospitalized at week 36; 0, 1, 9 if
	at 36 weeks		[DELDIE]=0 and infant hospitalized at week 36; Codes: 0=No, 1=Yes,
			7=N/A, 9=Unknown

		Field	
Field Name	Description	Type	Field Codes and Ranges
HFNC36	High Flow Nasal Cannula at	Byte	Range: 7 if [BYEAR] ≤ 2021 and ([DELDIE]=1 or infant not hospitalized at
(discontinued	36 Weeks		week 36); 0, 1, 9 if [BYEAR] ≤ 2021 and [DELDIE]=0 and infant
effective 2022)			hospitalized at week 36; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
NCF36	Nasal Cannula Flow at 36	Byte	Range: 7 if [BYEAR] ≥ 2022 and ([DELDIE]=1 or infant not hospitalized at
	Weeks		week 36); 0, 1, 9 if [BYEAR] ≥ 2022 and [DELDIE]=0 and infant
			hospitalized at week 36; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
NCF36_GT_2L	Flow Rate of Nasal Cannula	Byte	Range: 7 if [BYEAR] ≥ 2022 and [NCF36] in (0,7); 9 if [BYEAR] ≥ 2022
	Greater than Two Liters per		and [NCF36]=9; 0, 1, 9 if [BYEAR] ≥ 2022 and [NCF36]=1; Codes: 0=No,
	Minute at 36 Weeks		1=Yes, 7=N/A, 9=Unknown
NIMV36	Nasal Ventilation at 36	Byte	Range: 7 if [DELDIE]=1 or infant not hospitalized at week 36; 0, 1, 9 if
	Weeks		[DELDIE]=0 and infant hospitalized at week 36; Codes: 0=No, 1=Yes,
			7=N/A, 9=Unknown
CPAP36	Nasal CPAP at 36 Weeks	Byte	Range: 7 if [DELDIE]=1 or infant not hospitalized at week 36; 0, 1, 9 if
			[DELDIE]=0 and infant hospitalized at week 36; Codes: 0=No, 1=Yes,
0777777	0, 1, 6, 0, 5		7=N/A, 9=Unknown
STERBPD	Steroids for CLD	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes,
0777777	0, 1, 6, 0, 5, 1, 1		7=N/A, 9=Unknown
STERBPDWG	Steroids for CLD, Where	Byte	Range: 7 if [STERBPD] in (0, 7); 9 if [STERBPD]=9; 1, 2, 3, 9 if
	Given		[STERBPD]=1; Codes: 1=Your Hospital, 2=Other Hospital, 3=Both Your
INDOMETH		D (Hospital and Other Hospital, 7=N/A, 9=Unknown
INDOMETH	Indomethacin for Any	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes,
IDUDDOCENI	Reason	D. d.	7=N/A, 9=Unknown
IBUPROFEN	Ibuprofen for PDA	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes,
ACETAMIN	Acetaminophen	Byte	7=N/A, 9=Unknown Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes,
ACETAIVIIN	(Paracetamol) for PDA	Буге	Range: 7 [DELDIE]
PROBIOTICS	Probiotics	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes,
PROBIOTICS	Problotics	Буге	7=N/A, 9=Unknown
ROPANTIVEGF	Treatment of ROP with Anti-	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes,
ROPAINTIVEGE	VEGF Drug	Буге	7=N/A, 9=Unknown
CAFFEINE	Caffeine for Any Reason	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes,
CAFEINE	Callelle IOI Ally Neason	Бую	7=N/A, 9=Unknown
VITAMINA	Intramuscular Vitamin A for	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes,
VIIAMINA	Any Reason	Dyte	7=N/A, 9=Unknown
ROPSURG	ROP Surgery	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes,
1.01 001.0	1.01 Gargery	Dyto	7=N/A, 9=Unknown
			1 - 14/14, 5 - OTHER OWIT

		Field	
Field Name	Description	Type	Field Codes and Ranges
ROPSURGWD	ROP Surgery, Where Done	Byte	Range: 7 if [ROPSURG] in (0, 7); 9 if ROPSURG=9; 1, 2, 3, 9 if [ROPSURG]=1; Codes: 1=Your Hospital, 2=Other Hospital, 3=Both Your Hospital and Other Hospital, 7=N/A, 9=Unknown
PDASURG	Surgery or Interventional Catheterization for Closure of PDA	Byte	Range: 7 if [DELDIE]=1; 0, 1, 7, 9 if [DELDIE]=0; Codes: 0=No,1=Yes, 7=N/A, 9=Unknown
NECSURG	Surgery for NEC, Suspected NEC, or Bowel Perforation	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
OSURG	Other Surgery	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
SRGCD1	First Surgery Code	Text6	Range: "77" if[NECSURG] in (0,7) and [OSURG] in (0,7) and [PDASURG] in (0,7); "99" if ([NECSURG]=9 and [OSURG] in (0,9) and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=9 and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=0 and [PDASURG]=9); Surgery Code if [NECSURG]=1 or [PDASURG]=1; Codes: "77"=N/A, "99"=Unknown, Surgery Codes in Appendix D of Manual of Operations
SRGLOC1	Location of Surgery for First Surgery Code Procedure	Byte	Range: 7 if [SRGCD1]="77"; 9 if [SRGCD1]=9; 1, 2, 3, 9 if [SRGCD1] has a valid surgery code; Codes: 1=Your Hospital, 2=Other Hospital, 3=Both Your Hospital and Other Hospital, 7=N/A, 9=Unknown
SRGSSI1	Surgical Site Infection at Your Hospital for First Surgery Code Procedure	Byte	Range: 7 if [SRGLOC1] in (2,7); 9 if [SRGLOC1]=9; 0,1, 9 if [SRGLOC1] in (1,3); Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
SRGCD2	Second Surgery Code	Text6	Range: "77" if ([NECSURG] in (0,7) and [OSURG] in (0,7) and [PDASURG] in (0,7)) or no more surgery done; "99" if ([NECSURG]=9 and [OSURG] in (0,9) and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=9 and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=0 and [PDASURG]=9); Surgery Code if [NECSURG]=1 or [OSURG]=1 or [PDASURG]=1; Codes: "77"=N/A, "99"=Unknown, Surgery Codes in Appendix D of Manual of Operations

		Field	
Field Name	Description	Type	Field Codes and Ranges
SRGLOC2	Location of Surgery for Second Surgery Code Procedure	Byte	Range: 7 if [SRGCD2]="77"; 9 if [SRGCD2]=9; 1, 2, 3, 9 if [SRGCD2] has a valid surgery code; Codes: 1=Your Hospital, 2=Other Hospital, 3=Both Your Hospital and Other Hospital, 7=N/A, 9=Unknown
SRGSSI2	Surgical Site Infection at Your Hospital for Second Surgery Code Procedure	Byte	Range: 7 if [SRGLOC2] in (2,7); 9 if [SRGLOC2]=9; 0,1, 9 if [SRGLOC1] in (1,3); Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
SRGCD3	Third Surgery Code	Text6	Range: "77" if ([NECSURG] in (0,7) and [OSURG] in (0,7) and [PDASURG] in (0,7)) or no more surgery done; "99" if ([NECSURG]=9 and [OSURG] in (0,9) and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=9 and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=0 and [PDASURG]=9); Surgery Code if [NECSURG]=1 or [OSURG]=1 or [PDASURG]=1; Codes: "77"=N/A, "99"=Unknown, Surgery Codes in Appendix D of Manual of Operations
SRGLOC3	Location of Surgery for Third Surgery Code Procedure	Byte	Range: 7 if [SRGCD3]="77"; 9 if [SRGCD3]=9; 1, 2, 3, 9 if [SRGCD3] has a valid surgery code; Codes: 1=Your Hospital, 2=Other Hospital, 3=Both Your Hospital and Other Hospital, 7=N/A, 9=Unknown
SRGSSI3	Surgical Site Infection at Your Hospital for Third Surgery Code Procedure	Byte	Range: 7 if [SRGLOC3] in (2,7); 9 if [SRGLOC3]=9; 0,1, 9 if [SRGLOC1] in (1,3); Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
SRGCD4	Fourth Surgery Code	Text6	Range: "77" if ([NECSURG] in (0,7) and [OSURG] in (0,7) and [PDASURG] in (0,7)) or no more surgery done; "99" if ([NECSURG]=9 and [OSURG] in (0,9) and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=9 and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=0 and [PDASURG]=9); Surgery Code if [NECSURG]=1 or [OSURG]=1 or [PDASURG]=1; Codes: "77"=N/A, "99"=Unknown, Surgery Codes in Appendix D of Manual of Operations
SRGLOC4	Location of Surgery for Fourth Surgery Code	Byte	Range: 7 if [SRGCD4]="77"; 9 if [SRGCD4]=9; 1, 2, 3, 9 if [SRGCD4] has a valid surgery code; Codes: 1=Your Hospital, 2=Other Hospital, 3=Both Your Hospital and Other Hospital, 7=N/A, 9=Unknown

		Field	
Field Name	Description	Type	Field Codes and Ranges
SRGSSI4	Surgical Site Infection at Your Hospital for Fourth Surgery Code Procedure	Byte	Range: 7 if [SRGLOC4] in (2,7); 9 if [SRGLOC4]=9; 0,1, 9 if [SRGLOC1] in (1,3); Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
SRGCD5	Fifth Surgery Code	Text6	Range: "77" if ([NECSURG] in (0,7) and [OSURG] in (0,7) and [PDASURG] in (0,7)) or no more surgery done; "99" if ([NECSURG]=9 and [OSURG] in (0,9) and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=9 and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=0 and [PDASURG]=9); Surgery Code if [NECSURG]=1 or [OSURG]=1 or [PDASURG]=1; Codes: "77"=N/A, "99"=Unknown, Surgery Codes in Appendix D of Manual of Operations
SRGLOC5	Location of Surgery for Fifth Surgery Code Procedure	Byte	Range: 7 if [SRGCD5]="77"; 9 if [SRGCD5]=9; 1, 2, 3, 9 if [SRGCD5] has a valid surgery code; Codes: 1=Your Hospital, 2=Other Hospital, 3=Both Your Hospital and Other Hospital, 7=N/A, 9=Unknown
SRGSSI5	Surgical Site Infection at Your Hospital for Fifth Surgery Code Procedure	Byte	Range: 7 if [SRGLOC5] in (2,7); 9 if [SRGLOC5]=9; 0,1, 9 if [SRGLOC1] in (1,3); Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
SRGCD6	Sixth Surgery Code	Text6	Range: "77" if ([NECSURG] in (0,7) and [OSURG] in (0,7) and [PDASURG] in (0,7)) or no more surgery done; "99" if ([NECSURG]=9 and [OSURG] in (0,9) and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=9 and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=0 and [PDASURG]=9); Surgery Code if [NECSURG]=1 or [OSURG]=1 or [PDASURG]=1; Codes: "77"=N/A, "99"=Unknown, Surgery Codes in Appendix D of Manual of Operations
SRGLOC6	Location of Surgery for Sixth Surgery Code Procedure	Byte	Range: 7 if [SRGCD6]="77"; 9 if [SRGCD6]=9; 1, 2, 3, 9 if [SRGCD6] has a valid surgery code; Codes: 1=Your Hospital, 2=Other Hospital, 3=Both Your Hospital and Other Hospital, 7=N/A, 9=Unknown
SRGSSI6	Surgical Site Infection at Your Hospital for Sixth Surgery Code Procedure	Byte	Range: 7 if [SRGLOC6] in (2,7); 9 if [SRGLOC6]=9; 0,1, 9 if [SRGLOC1] in (1,3); Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown

		Field	
Field Name	Description	Type	Field Codes and Ranges
SRGCD7	Seventh Surgery Code	Text6	Range: "77" if ([NECSURG] in (0,7) and [OSURG] in (0,7) and [PDASURG] in (0,7)) or no more surgery done; "99" if ([NECSURG]=9 and [OSURG] in (0,9) and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=9 and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=0 and [PDASURG]=9); Surgery Code if [NECSURG]=1 or [OSURG]=1 or [PDASURG]=1; Codes: "77"=N/A, "99"=Unknown, Surgery Codes in Appendix D of Manual of Operations
SRGLOC7	Location of Surgery for Seventh Surgery Code Procedure	Byte	Range: 7 if [SRGCD7]="77"; 9 if [SRGCD7]=9; 1, 2, 3, 9 if [SRGCD7] has a valid surgery code; Codes: 1=Your Hospital, 2=Other Hospital, 3=Both Your Hospital and Other Hospital, 7=N/A, 9=Unknown
SRGSSI7	Surgical Site Infection at Your Hospital for Seventh Surgery Code Procedure	Byte	Range: 7 if [SRGLOC7] in (2,7); 9 if [SRGLOC7]=9; 0,1, 9 if [SRGLOC1] in (1,3); Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
SRGCD8	Eighth Surgery Code	Text6	Range: "77" if ([NECSURG] in (0,7) and [OSURG] in (0,7) and [PDASURG] in (0,7)) or no more surgery done; "99" if ([NECSURG]=9 and [OSURG] in (0,9) and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=9 and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=0 and [PDASURG]=9); Surgery Code if [NECSURG]=1 or [OSURG]=1 or [PDASURG]=1; Codes: "77"=N/A, "99"=Unknown, Surgery Codes in Appendix D of Manual of Operations
SRGLOC8	Location of Surgery for Eighth Surgery Code Procedure	Byte	Range: 7 if [SRGCD8]="77"; 9 if [SRGCD8]=9; 1, 2, 3, 9 if [SRGCD8] has a valid surgery code; Codes: 1=Your Hospital, 2=Other Hospital, 3=Both Your Hospital and Other Hospital, 7=N/A, 9=Unknown
SRGSSI8	Surgical Site Infection at Your Hospital for Eighth Surgery Code Procedure	Byte	Range: 7 if [SRGLOC8] in (2,7); 9 if [SRGLOC8]=9; 0,1, 9 if [SRGLOC1] in (1,3); Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown

		Field	
Field Name	Description	Type	Field Codes and Ranges
SRGCD9	Ninth Surgery Code	Text6	Range: "77" if ([NECSURG] in (0,7) and [OSURG] in (0,7) and [PDASURG] in (0,7)) or no more surgery done; "99" if ([NECSURG]=9 and [OSURG] in (0,9) and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=9 and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=0 and [PDASURG]=9); Surgery Code if [NECSURG]=1 or [OSURG]=1 or [PDASURG]=1; Codes: "77"=N/A, "99"=Unknown, Surgery Codes in Appendix D of Manual of Operations
SRGLOC9	Location of Surgery for Ninth Surgery Code Procedure	Byte	Range: 7 if [SRGCD9]="77"; 9 if [SRGCD9]=9; 1, 2, 3, 9 if [SRGCD9] has a valid surgery code; Codes: 1=Your Hospital, 2=Other Hospital, 3=Both Your Hospital and Other Hospital, 7=N/A, 9=Unknown
SRGSSI9	Surgical Site Infection at Your Hospital for Ninth Surgery Code Procedure	Byte	Range: 7 if [SRGLOC9] in (2,7); 9 if [SRGLOC9]=9; 0,1, 9 if [SRGLOC1] in (1,3); Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
SRGCD10	Tenth Surgery Code	Text6	Range: "77" if ([NECSURG] in (0,7) and [OSURG] in (0,7) and [PDASURG] in (0,7)) or no more surgery done; "99" if ([NECSURG]=9 and [OSURG] in (0,9) and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=9 and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=0 and [PDASURG]=9); Surgery Code if [NECSURG]=1 or [OSURG]=1 or [PDASURG]=1; Codes: "77"=N/A, "99"=Unknown, Surgery Codes in Appendix D of Manual of Operations
SRGLOC10	Location of Surgery for Tenth Surgery Code Procedure	Byte	Range: 7 if [SRGCD10]="77"; 9 if [SRGCD10]=9; 1, 2, 3, 9 if [SRGCD10] has a valid surgery code; Codes: 1=Your Hospital, 2=Other Hospital, 3=Both Your Hospital and Other Hospital, 7=N/A, 9=Unknown
SRGSSI10	Surgical Site Infection at Your Hospital for Tenth Surgery Code Procedure	Byte	Range: 7 if [SRGLOC10] in (2,7); 9 if [SRGLOC10]=9; 0,1, 9 if [SRGLOC1] in (1,3); Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown

		Field	
Field Name	Description	Type	Field Codes and Ranges
OSRGDESC	Surgical Code Description	Text255	Range: "77" if ([NECSURG] in (0,7) and [OSURG] in (0,7) and [PDASURG] in (0,7)) or if the surgery code(s) do not require a description; "99" if ([NECSURG]=9 and [OSURG] in (0,9) and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=9 and [PDASURG] in (0,9)) or ([NECSURG]=0 and [OSURG]=0 and [PDASURG]=9); description of surgical procedure(s) if ([NECSURG]=1 or [OSURG]=1 or [PDASURG]=1) and code for surgery requires a description Codes: "77"=N/A, "99"=Unknown Surgery Codes are in Appendix D of the Network Manual of Operations, Part 2.
RDS	Respiratory Distress Syndrome	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
PNTX	Pneumothorax	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
PNTXWO	Pneumothorax, Where Occurred	Byte	Range: 7 if [PNTX] in (0, 7); 1, 2, 3, 9 if [PNTX]=1; 9 if [PNTX]=9; Codes: 1=Your Hospital, 2=Other Hospital, 3=Both Your Hospital and Other Hospital, 7=N/A, 9=Unknown
PDA	Patent Ductus Arteriosus	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
NEC	Necrotizing Enterocolitis	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
NECWO	Necrotizing Enterocolitis, Where Occurred	Byte	Range: 7 if [NEC] in (0, 7); 9 if [NEC]=9; 1, 2, 3, 9 if [NEC]=1; Codes: 1=Your Hospital, 2=Other Hospital, 3=Both Your Hospital and Other Hospital, 7=N/A, 9=Unknown
GIPERF (discontinued effective 2022)	Focal Intestinal Perforation	Byte	Range: 7 if [BYEAR] ≤ 2021 AND [DELDIE]=1; 0, 1, 9 if [BYEAR] ≤ 2021 and [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
GIPERFWO (discontinued effective 2022)	Focal Intestinal Perforation, Where Occurred	Byte	Range: 7 if [BYEAR] ≤ 2021 and [GIPERF] in (0, 7); 9 [BYEAR] ≤ 2021 and if [GIPERF]=9; 1, 2, 3, 9 if [BYEAR] ≤ 2021 and [GIPERF]=1; Codes: 1=Your Hospital, 2=Other Hospital, 3=Both Your Hospital and Other Hospital, 7=N/A, 9=Unknown
SIP	Surgically Confirmed or Clinically Diagnosed Focal Intestinal Perforation	Byte	Range: 7 if [BYEAR] ≥ 2022 AND [DELDIE]=1; 0, 1, 2, 9 if [BYEAR] ≥ 2022 and [DELDIE]=0; Codes: 0=No, 1=Surgically Confirmed, 2=Clinically Diagnosed, 7=N/A, 9=Unknown

		Field	
Field Name	Description	Type	Field Codes and Ranges
LBPATH	Bacterial Sepsis and/or Meningitis after Day 3	Byte	Range: 7 if [DELDIE]=1 or infant not hospitalized after Day 3; 0, 1, 9 if [DELDIE]=0 and infant hospitalized after Day 3; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
LBPATHWO	Bacterial Sepsis and/or Meningitis after Day 3, Where Occurred	Byte	Range: 7 if [LBPATH] in (0, 7); 9 if [LBPATH]=9; 1, 2, 3, 9 if [LBPATH]=1; Codes: 1=Your Hospital, 2=Outside of Your Hospital, 3=Both Your Hospital and Outside of Your Hospital, 7=N/A, 9=Unknown
LBPATHCD1	Bacterial Sepsis and/or Meningitis After Day 3, pathogen 1	Integer	Range: 7777 if [LBPATH]=7; 9999 if [LBPATH]=9; Bacterial organism code if [LBPATH]=1; Codes: 7777=N/A, 9999=Unknown, Bacterial Pathogen Codes in Appendix B of Manual of Operations
LBPATHCD2	Bacterial Sepsis and/or Meningitis After Day 3, pathogen 2	Integer	Range: 7777 if [LBPATH]=7 or no more pathogens; 9999 if [LBPATH]=9; Bacterial organism code if [LBPATH]=1; Codes: 7777=N/A, 9999=Unknown, Bacterial Pathogen Codes in Appendix B of Manual of Operations
LBPATHCD3	Bacterial Sepsis and/or Meningitis After Day 3, pathogen 3	Integer	Range: 7777 if [LBPATH]=7 or no more pathogens; 9999 if [LBPATH]=9; Bacterial organism code if [LBPATH]=1; Codes: 7777=N/A, 9999=Unknown, Bacterial Pathogen Codes in Appendix B of Manual of Operations
CNEGSTAPH	Coagulase Negative Staphylococcal Infection after Day 3	Byte	Range: 7 if [DELDIE]=1 or infant not hospitalized after Day 3; 0, 1, 9 if [DELDIE]=0 and infant hospitalized after Day 3; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
CNEGWO	Coagulase Negative Staphylococcal Infection after Day 3, Where Occurred	Byte	Range: 7 if [CNEGSTAPH] in (0, 7); 9 if [CNEGSTAPH]=9; 1, 2, 3, 9 if [CNEGSTAPH]=1; Codes: 1=Your Hospital, 2=Outside of Your Hospital, 3=Both Your Hospital and Outside of Your Hospital, 7=N/A, 9=Unknown
FUNGAL	Fungal Infection after Day 3	Byte	Range: 7 if [DELDIE]=1 or infant not hospitalized after Day 3; 0, 1, 9 if [DELDIE]=0 and infant hospitalized after Day 3; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
FUNGALWO	Fungal Infection after Day 3, Where Occurred	Byte	Range: 7 if [FUNGAL] in (0, 7); 9 if [FUNGAL]=9; 1, 2, 3, 9 if [FUNGAL]=1; Codes: 1=Your Hospital, 2=Outside of Your Hospital, 3=Both Your Hospital and Outside of Your Hospital, 7=N/A, 9=Unknown
PVL	Cystic Periventricular Leukomalacia	Byte	Range: 7 if [DELDIE]=1 or cranial imaging study never done or ([BYEAR] ≥ 2020 and [USOUND1]=0 and infant not hospitalized after day 28); 0, 1, 9 if ([BYEAR] < 2020 and [DELDIE]=0 and cranial imaging study ever done) or {[BYEAR] ≥ 2020 and [DELDIE]=0 and ([USOUND1]=1 or cranial imaging study ever done)}; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown

		Field	
Field Name	Description	Type	Field Codes and Ranges
EYEX	ROP, Retinal Examination	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes,
			7=N/A, 9=Unknown
ISTAGE	ROP Stage	Byte	Range: 7 if [EYEX] in (0,7); 9 if [EYEX]=9; 0 to 5, 9 if [EYEX]=1; Codes: 7=N/A, 9=Unknown
CMAL	Congenital Anomaly	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
BDCD1	First Congenital Anomaly Code	Integer	Range: 7777 if [CMAL]=0, 9999 if [CMAL]=9; Congenital Anomaly List if [CMAL]=1; Codes: 7777=N/A, 9999=Unknown
			Congenital anomaly codes are in Appendix C of the Network Manual of Operations, Part 2
BDCD2	Second Congenital Anomaly Code	Integer	Range: 7777 if [CMAL]=0 or if no more defects, 9999 if [CMAL]=9; Congenital Anomaly List if [CMAL]=1 and 2nd Defect; Codes: 7777=N/A, 9999=Unknown
			Congenital anomaly codes are in Appendix C of the Network Manual of Operations, Part 2
BDCD3	Third Congenital Anomaly Code	Integer	Range: 7777 if [CMAL]=0 or if no more defects, 9999 if [CMAL]=9; Congenital Anomaly List if [CMAL]=1 and 2nd Defect; Codes: 7777=N/A, 9999=Unknown
			Congenital anomaly codes are in Appendix C of the Network Manual of Operations, Part 2
BDCD4	Fourth Congenital Anomaly Code	Integer	Range: 7777 if [CMAL]=0 or if no more defects, 9999 if [CMAL]=9; Congenital Anomaly List if [CMAL]=1 and 4th Defect; Codes: 7777=N/A, 9999=Unknown
			Congenital anomaly codes are in Appendix C of the Network Manual of Operations, Part 2
BDCD5	Fifth Congenital Anomaly Code	Integer	Range: 7777 if [CMAL]=0 or if no more defects, 9999 if [CMAL]=9; Congenital Anomaly List if [CMAL]=1 and 5th Defect; Codes: 7777=N/A, 9999=Unknown
			Congenital anomaly codes are in Appendix C of the Network Manual of Operations, Part 2
BDEFECT	Congenital Anomaly Description	Text255	Range: "77" if [CMAL]=0 or no description required; "99" if [CMAL]=9; Text description of congenital anomaly if [CMAL]=1 and description required (see Manual of Operations) Codes: "77"=N/A, "99"=Unknown
ENTFEED	Enteral Feeding at Discharge	Byte	Range: 7 if [DELDIE]=1; 0, 1, 2, 3, 9 if [DELDIE]=0; Codes: 0=None, 1=Human Milk Only, 2=Formula Only, 3=Human Milk with Fortifier or Formula, 7=N/A, 9=Unknown

		Field	
Field Name	Description	Type	Field Codes and Ranges
OXFINAL	Oxygen at Discharge	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
VENTFINAL	Conventional Ventilation at Discharge	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
HFVFINAL	High Frequency Ventilation at Discharge	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
HFNCFINAL (discontinued effective 2022)	High Flow Nasal Cannula at Discharge	Byte	Range: 7 if [BYEAR] ≤ 2021 and [DELDIE]=1; 0, 1, 9 if [BYEAR] ≤ 2021 and [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
NCFFINAL	Nasal Cannula Flow at Discharge	Byte	Range: 7 if [BYEAR] ≥ 2022 and [DELDIE]=1; 0, 1, 9 if [BYEAR] ≥ 2022 and [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
NCFFINAL_GT_ 2L	Flow Rate of Nasal Cannula Greater than Two Liters per Minute at Discharge	Byte	Range: 7 if [BYEAR] ≥ 2022 and [NCFFINAL] in (0,7); 9 if [BYEAR] ≥ 2022 and [NCFFINAL]=9; 0, 1, 9 if [BYEAR] ≥ 2022 and [NCFFINAL]=1; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
NIMVFINAL	Nasal Ventilation at Discharge	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
CPAPFINAL	Nasal CPAP at Discharge	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
ACFINAL	Monitor at Discharge	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
FDISP	Initial Disposition	Byte	Range: 7 if [DELDIE]=1; 1, 2, 3, 5, 9 if [DELDIE]=0; Codes: 1=Home, 2=Transferred, 3=Died, 5=Still Hospitalized as of First Birthday, 7=N/A, 9=Unknown
DWGT	Weight at Initial Disposition	Long	Range: 77777 if [DELDIE]=1; 201 to 66665, 99999 if [DELDIE]=0; Codes: 77777=N/A; 99999=Unknown
DHEADCIR	Head Circumference at Initial Disposition (in cm to nearest 10 th of a cm)	Single	Range: 777.7 if [DELDIE]=1; 10.0 to 70.0, 999.9 if [DELDIE]=0; Codes: 777.7=N/A, 999.9=Unknown
LOS1	Initial Length of Stay	Integer	Range: 1 if [DELDIE]=1; 1 to 366 (367 if leap day must be added), 999 if [DELDIE]=0; See Manual of Operations; Codes: 999=Unknown

		Field	
Field Name	Description	Туре	Field Codes and Ranges
	Transfer and Readmission Data Items		
TRANSCODE (discontinued effective 2022)	Reason for Transfer	Byte	Range: 7 if [BYEAR] ≤ 2021 and [FDISP] in (1, 3, 5, 7); 9 if [BYEAR] ≤ 2021 and [FDISP]=9; 0 to 5, 9 if [FDISP]=2; Codes: 0=ECMO, 1=Growth/Discharge Planning, 2=Medical/Diagnostic Services, 3=Surgery, 4=Chronic Care, 5=Other, 7=N/A, 9=Unknown
TRANSCODE_OUT	Reason for Transfer Out	Byte	Range: 77 if [BYEAR] ≥ 2022 and [FDISP] in (1, 3, 5, 7); 99 if [BYEAR] ≥ 2022 and [FDISP]=9; 0 to 6, 99 if [BYEAR] ≥ 2022 and [FDISP]=2; Codes: 0=ECMO, 1=Growth/ Discharge Planning, 2=Medical/Diagnostic Services, 3=Surgery, 4=Chronic Care, 5=Other, 6=Hypothermic Therapy, 77=N/A, 99=Unknown
XFER_CTR	Transfer Code of Center to which Infant Transferred (List available at https://public.vtoxford.org/transfer-codes/)	Long	Range: 77777777 if [FDISP] in (1,3,5,7); Transfer Code provided by VON or 99999999; Codes: 77777777=N/A, 99999999=Unknown
F2DISP	Post Transfer Disposition	Byte	Range: 7 if [FDISP] in (1, 3, 5, 7); 9 if [FDISP]=9; 1, 2, 3, 4, 5, 9 if [FDISP]=2; Codes: 1=Home, 2=Transferred Again, 3=Died, 4=Readmitted, 5=Still Hospitalized as of First Birthday, 7=N/A, 9=Unknown
F3DISP	Disposition after Readmission	Byte	Range: 7 if [F2DISP] in (1, 2, 3, 5, 7); 9 if [F2DISP]=9; 1, 2, 3, 5, 9 if [F2DISP]=4; Codes: 1=Home, 2=Transfer, 3=Died, 5=Still Hospitalized as of First Birthday, 7=N/A, 9=Unknown
F3WGT	Weight at Disposition after Readmission	Long	Range: 77777 if [F3DISP]=7; 99999 if [F2DISP]=9; 201 to 66665 or 99999 if [F3DISP] in (1,2,3,5); Codes: 77777=N/A, 99999=Unknown

		Field	
Field Name	Description	Type	Field Codes and Ranges
UDISP	Ultimate Disposition	Byte	Range: 7 if [F2DISP] in (1,3,5,7) or if [F3DISP] in (1,3,5,7); 9 if [F2DISP]=9 or if [F3DISP]=9; 1, 3, 5, 9 if [F2DISP]=2 or if [F3DISP]=2; Codes: 1=Home, 3=Died, 5=Still Hospitalized as of First Birthday, 7=N/A, 9=Unknown
LOSTOT	Total Length of Stay	Integer	Range: 777 if [FDISP] in (1,3,5,7); 999 if [FDISP]=9; 1 to 366 (367 if leap day must be added), 999 if [FDISP]=2; See Manual of Operations; Codes: 777=N/A; 999=Unknown
	Supplemental Data Items		All Data Items required for Expanded Data centers
DISCHOME	Previously Discharged Home	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [BYEAR] = 2020) and [DELDIE]=0; 0, 1 if [BYEAR] ≥ 2021 and [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
DURVENT	Duration of Assisted Ventilation (initial stay in your NICU)	Byte	Range: 7 if [DELDIE]=1; 0, 1, 2, 3, 9 if [DELDIE]=0; Codes: 0=None, 1= < 4 Hours, 2= 4 to 24 Hours, 3= > 24 Hours, 7=N/A, 9=Unknown
VENTDAYS	Days of Assisted Ventilation (initial stay in your NICU)	Long	Range: 7777 if [DURVENT] in (0,1,2,7); 9999 if [DURVENT]=9; 2 to 366 (367 if leap day must be added), 9999 if [DURVENT]=3; Codes: 7777=N/A, 9999=Unknown
ЕСМОР	ECMO at your Hospital	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
COOLED	Hypothermic Therapy at Your Hospital	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
COOLLEVEL	Level of Consciousness Before Hypothermic Therapy	Byte	Range: 7 if [BYEAR] \geq 2022 and [COOLED] in (0,7); 9 if [BYEAR] \geq 2022 and [COOLED]=9; 1, 2, 3, 9 if [BYEAR] \geq 2022 and [COOLED]=1; Codes: 1=Mild, 2=Moderate, 3=Severe, 7=N/A, 9=Unknown
COOLMETH	Cooling Method	Byte	Range: 7 if [COOLED] in (0,7); 9 if [COOLED]=9; 1, 2, 3, 9 if [COOLED]=1; Codes: 1=Selective Head, 2=Whole Body, 3=Both Selective Head and Whole Body, 7=N/A, 9=Unknown

		Field	
Field Name	Description	Type	Field Codes and Ranges
HYPOIEP	Hypoxic-Ischemic Encephalopathy	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
HYPOIES (discontinued effective 2022)	HIE Severity	Byte	Range: 7 if [BYEAR] ≤ 2021 and [HYPOIEP] in (0,7); 9 if [BYEAR] ≤ 2021 and [HYPOIEP]=9; 1, 2, 3, 9 if [BYEAR] ≤ 2021 and [HYPOIEP]=1; Codes: 1=Mild, 2=Moderate, 3=Severe, 7=N/A, 9=Unknown
MECASP	Meconium Aspiration Syndrome	Byte	Range: 0, 1, 9; Codes: 0=No, 1=Yes, 9=Unknown
TRCSUCMA	Tracheal Suctioning for Meconium Attempted during Initial Resuscitation	Byte	Range: 7 if [MECASP]=0; 9 if [MECASP]=9; 0, 1, 9 if [MECASP]=1; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
SEIZURE	Seizures	Byte	Range: 7 if [DELDIE]=1; 0, 1, 9 if [DELDIE]=0; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
NAS	Neonatal Abstinence Syndrome	Byte	Range: 7 if [BYEAR] \geq 2022 and ([DELDIE]=1 or 1 \leq [GAWEEKS] \leq 33); 0, 1, 9 if [BYEAR] \geq 2022 and [DELDIE]=0 and [GAWEEKS] \geq 34; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
NASTREAT	Pharmacological Treatment for Neonatal Abstinence Syndrome	Byte	Range: 7 if [BYEAR] ≥ 2022 and [NAS] in (0,7); 9 if [BYEAR] ≥ 2022 and [NAS]=9; 0, 1, 9 if [BYEAR] ≥ 2022 and [NAS]=1; Codes: 0=No, 1=Yes, 7=N/A, 9=Unknown
NASTREATWG	Pharmacological Treatment for Neonatal Abstinence Syndrome, Where Given	Byte	Range: 7 if [BYEAR] ≥ 2022 and [NASTREAT] in (0,7); 9 if [BYEAR] ≥ 2022 and [NASTREAT]=9; 1, 2, 3, 9 if [BYEAR] ≥ 2022 and [NASTREAT]=1; Codes: 1=Your Hospital, 2=Other Hospital, 3=Both Your Hospital and Other Hospital, 7=N/A, 9=Unknown

Appendix B, 2024 Data Booklets

2024 Patient Data Booklet for VLWB Centers

This booklet	VERMONT OXFORD NETWORK CQ PATIENT DATA BOOKLET FOR INFANTS BORN IN 2024 contains protected health care information and must NOT be submitted to rd Network (VON). VON only accepts protected health care information in cases
where member	ers have <u>both</u> voluntarily elected to send this information to VON <u>and</u> have ropriate Business Associate Agreement with VON.
	s designed for you to use to collect data that will later be entered by your center e VON data submission tool.
Contents:	
Page 1: P	atient Identification Worksheet General Data Items for Infants Born in 2024 at VLBW Centers
	PATIENT IDENTIFICATION WORKSHEET
Patient's Name	:
Mother's Name	·
Date of Birth:	MM DD YYYY
Date of Admiss	ion: MM DD YYYY
Date of Day 28:	:// For Date of Day 28 use the <i>Day 28 Calculation Charts</i> :
Date of Week 3	https://vtoxford.zendesk.com/hc/en-us/articles/20900117577363 For Date of Week 36 use the Week 36 Calculator:
	PLEASE DO NOT SUBMIT THIS WORKSHEET

	Patient ID Num	lber: MRN:
Patient ID number:	(this	is the VON Network ID – it is auto-generated by eNICQ)
Medical Record Number:		Date of Birth://
Died in Delivery Room: 🔲 Ye	es No (If Yes,	complete Delivery Room Death data booklet, not this booklet)
Location of Birth:	born Outborn (If Outborn, complete Date of Admission below)
Patient's First Name:		Mother's First Name:
Patient's Last Name:		Mother's Last Name:
For <i>Outborn</i> infants:		
Date of Admission:/_		
MM DI	D YYYY ECMO □G	rowth/Discharge Planning
		Chronic Care Other Hypothermic Therapy
Birth Weight:	grams	**
Gestational Age, Weeks:	Gest	ational Age, Days (0-6):
If Location of Birth is Outl (List available at https://public.vtox	oorn, Transfer Co ford.org/transfer-codes	de of Center from which Infant Transferred:
Head Circumference at Birth	(in cm to nearest 1	0 th):
Maternal Ethnicity/Race (Ans	wer both Ethnicit	y and Race):
Ethnicity of Mother: Hispan	nic 🗌 Not Hispa	anic
Race of Mother:	or African America	
☐ Americ	an Indian or Alaska	Native Native Hawaiian or Other Pacific Islander Other
Prenatal Care:	Yes	□ No
Antenatal Steroids:	☐ Yes	□ No
Antenatal Magnesium Sulfate	: Yes	□ No
Chorioamnionitis:	☐ Yes	□ No
Maternal Hypertension, Chron	nic or Pregnancy	-Induced:
	Yes	□No
Maternal Diabetes	☐ Vaginal	☐ Cesarean Section
Maternal Diabetes Mode of Delivery:		
	☐ Male	☐ Female ☐ Unknown
Mode of Delivery:	☐ Male	☐ Female ☐ Unknown ☐ No ☐ If Yes, Number of Infants Delivered:
Mode of Delivery: Sex of Infant:		

enter Number:	Patient ID Number:	MRN:
APGAR Scores:	1 minute	5 minutes
Initial Resuscitation:	Oxygen:	☐ Yes ☐ No
	Face Mask Vent:	☐ Yes ☐ No
	Supraglottic Airway Devi	ice: 🗌 Yes 🔲 No
	Endotracheal Tube Vent:	Yes No
	Epinephrine:	☐ Yes ☐ No
	Cardiac Compression:	☐ Yes ☐ No
	Nasal Vent:	☐ Yes ☐ No
	Nasal CPAP:	☐ Yes ☐ No
Temperature Measured	within the First Hour after A	dmission to Your NICU: Yes No NA
If Yes, Temperature W (In degrees <i>centigrade</i> to ne	/ithin the First Hour after Adarest 10 th)	Imission to Your NICU:
Died within 12 Hours of	Admission to Your NICU:	☐ Yes ☐ No
Bacterial Sepsis and/or	Meningitis on or before Day	/ 3: ☐ Yes ☐ No
-	Meningitis on or before Day ningitis is Yes, enter up to 3 Bacterial	y 3, Pathogen(s):
Oxygen on Day 28:	☐ Yes ☐ No	
Periventricular-Intraven	tricular Hemorrhage (PIH):	
Cranial Imaging (US/CT	/MRI) on or before Day 28:	☐ Yes ☐ No
If Yes, Worst Grade	•	_
	ere PIH First Occurred:	☐ Your Hospital ☐ Other Hospital
		livery room/initial resuscitation area):
Oxygen (after Initial Resus	,	☐ Yes ☐ No
	on (after Initial Resuscitation):	 ☐ Yes ☐ No
High Frequency Ventil	ation (after Initial Resuscitation):	☐ Yes ☐ No
Nasal Cannula Flow (at	ter Initial Resuscitation):	☐ Yes ☐ No
If Yes, Flow Rate of I	Nasal Cannula Greater than T	wo Liters per Minute (after Initial Resuscitation): Yes Do
Nasal Ventilation (after	Initial Resuscitation):	☐ Yes ☐ No
Nasal CPAP (after Initial F	Resuscitation):	☐ Yes ☐ No
Surfactant during Initial	Resuscitation: Yes	No
Surfactant at Any Time:	Yes No (Surfactant a	at Any Time must be Yes if Surfactant During Initial Resuscitation is Yes
•	ose of Surfactant: Hours	
Inhaled Nitric Oxide:	☐ Yes ☐ No	
		Your Hospital

nter Number:	Patient ID Nu	mber:		MRN:		
Respiratory Support a	t 36 Weeks (See Manual	of Operations, Part 2 fo	r N/A crite	ria):		
Oxygen (at 36 Weeks):		☐ Yes ☐ No) □ N/	Α		
Conventional Ventilat	t ion (at 36 Weeks):	☐ Yes ☐ No) □ N/	Α		
High Frequency Vent	ilation (at 36 Weeks):	☐ Yes ☐ No	D □ N/	Α		
Nasal Cannula Flow (at 36 Weeks):	☐ Yes ☐ No	□ N/	Α		
If Yes, Flow Rate o	f Nasal Cannula Great	er than Two Liters	per Mir	nute (at 36 Weeks	s): Yes [□No
Nasal Ventilation (at 3	6 Weeks):	☐ Yes ☐ No	□ N/	Α		
Nasal CPAP (at 36 Wee	ks):	☐ Yes ☐ No	□ N/	Α		
Steroids for CLD:	•	☐ Yes ☐ No				
If Yes, Steroids for	CLD. Where Given:	☐ Your Hospit	al 🗆	Other Hospital	□ Both	
Indomethacin for Any	•	Yes ☐ No				
Ibuprofen for PDA:		☐ Yes ☐ No				
<u> </u>	estamol) for DDA:					
Acetaminophen (Parac	etamot) for PDA:	∐ Yes ∐ No				
Probiotics:		Yes □ No				
Treatment of ROP with	Anti-VEGF Drug:	☐ Yes ☐ No				
Caffeine for Any Reaso	on:	☐ Yes ☐ No				
Intramuscular Vitamin	A for Any Reason:	☐ Yes ☐ No)			
ROP Surgery:		☐ Yes ☐ No)			
If Yes, ROP Surgery	, Where Done:	☐ Your Hospit	al 🗌 🤇	Other Hospital	□ Both	
Surgery or Intervention (If Yes, a Surgery Code, Locati			_	∕es ☐ No		
Surgery for NEC, Susp (If Yes, a Surgery Code, Locati	ected NEC, or Bowel	Perforation:		Yes No		
Other Surgery: (If Yes, a Surgery Code, Locati				Yes No		
If Yes to Surgery for C Locations of Surgery, See Manual of Operations, Pa If Surgery for NEC is Yes, one Surgery for each surgery code site infection.	and check Yes or No fart 2 – Appendix D for Surger or more of the following coce. If a surgical site infection i	for Surgical Site In y Codes. les is required: S302, S3 s present, indicate "Yes"	fection 303, S307, " for the or	following Surg S308, S309, S333 he surgical code the	gery at Your 3. Indicate <i>Loc</i> at resulted in th	r Hospital ation of ne surgical
Surgery Code 1: Surgery Code 2:		_	☐ Both☐ Both	Surgical Site Inf Surgical Site Inf		
Surgery Code 3:			Both	Surgical Site Inf		es 🗌 No
Surgery Code 4:	Your Hospital	☐ Other Hospital	Both	Surgical Site Inf	fection: 🗌 Y	es 🗌 No
	Your Hospital		Both	Surgical Site Inf	_	
	Your Hospital		☐ Both	Surgical Site Inf		
	☐ Your Hospital ☐ Your Hospital		☐ Both ☐ Both	Surgical Site Inf Surgical Site Inf		
	Your Hospital		Both	Surgical Site Inf		
	☐ Your Hospital		 ☐ Both	Surgical Site Inf		es 🗌 No
Include description fo	r Surgery Codes S100	,S200,S300,S400,S8	500,S600	,\$700,\$800,\$90	00,S1000, an	d S1001:

40

enter Number: Patient ID	Numbe	r:			MRN:_		
Respiratory Distress Syndrome:] Yes [□No			
Pneumothorax:			Yes [□No			
If Yes, Pneumothorax, Where Occurre	ed:] Your H	ospital	Other Hos	spital	Both
Patent Ductus Arteriosus:] Yes [□No	□ N/A		
Necrotizing Enterocolitis:] Yes	□No			
If Yes, NEC, Where Occurred:] Your H	ospital	Other Hos	spital	☐ Both
Surgically Confirmed or Clinically Diagn		al Intesti		_	nically Diagnos	sed	□ No
Sepsis and/or Meningitis, Late (after day	3 of life)	:					
Bacterial Sepsis and/or Meningitis after	Day 3:] Yes [□No			
If Yes, Bacterial Sepsis and/or Mening	gitis after	Day 3, V	/here O	ccurred			
		☐ Your I	Hospital	☐ Ou	side Your Hos	spital	□ Both
Bacterial Sepsis and/or Meningitis after (If Bacterial Sepsis and/or Meningitis is Yes, enter to		• ,		otions from	Manual of Opera	 tions, Par	t 2, Appendix B)
Coagulase Negative Staph Infection afte	r Day 3:] Yes [□No			
If Yes, Coagulase Negative Staphyloc	occal Inf	ection af	ter Day	3, Wher	e Occurred:		
		☐ Your I	Hospital	Out	side Your Hos	spital	Both
Fungal Infection after Day 3:] Yes [□No			
If Yes, Fungal Infection after Day 3, Where	Occurred:	☐ Your I	lospital	☐ Out	side Your Hos	pital	☐ Both
Cystic Periventricular Leukomalacia:	☐ Yes	☐ No	□ N/A	A (See Ma	nual of Operation	s, Part 2	for N/A criteria)
ROP, Retinal Examination	☐ Yes	☐ No					
If Yes, Worst Stage of ROP (0-5):		_					
Congenital Anomaly:	☐ Yes	☐ No					
If Yes, enter up to 5 Congenital Anom							
See Manual of Operations, Part 2 – Appendix C 1	•	•					
If Yes, as needed, include description	n(s) for C	odes 100	, 504, 60	01, 605,	901, 902, 903,	904, &	907:
ls this infant still hospitalized at your ce	nter?] Yes [No				

	umber: MRN:
Enteral Feeding at Discharge:	
☐ Humar	n Milk Only
☐ Formul	la Only
☐ Humar	n milk in combination with either fortifier or formula
Oxygen, Respiratory Support, and Monitor	at Discharge:
Oxygen (at Discharge):	☐ Yes ☐ No
Conventional Ventilation (at Discharge):	☐ Yes ☐ No
High Frequency Ventilation (at Discharge):	☐ Yes ☐ No
Nasal Cannula Flow (at Discharge):	☐ Yes ☐ No
If Yes, Flow Rate of Nasal Cannula Gre	ater than Two Liters per Minute (at Discharge): Yes No
Nasal Ventilation (at Discharge):	Yes No
Nasal CPAP (at Discharge):	☐ Yes ☐ No
Monitor (at Discharge):	☐ Yes ☐ No
 □ Died □ Transferred to another Hospital (When Transferred is chosen, also complete □ Still Hospitalized as of First Birthd 	Transfer/Readmission data below & on page 7) ay
Transferred to another Hospital (When <i>Transferred</i> is chosen, also complete	ay (Not required when Initial Disposition is Still Hospitalized as of First Birthday)
☐ Transferred to another Hospital (When Transferred is chosen, also complete) ☐ Still Hospitalized as of First Birthd Date of Initial Disposition://	(Not required when Initial Disposition is Still Hospitalized as of First Birthday)
☐ Transferred to another Hospital (When Transferred is chosen, also complete) ☐ Still Hospitalized as of First Birthd Date of Initial Disposition:	(Not required when Initial Disposition is Still Hospitalized as of First Birthday) Ims
☐ Transferred to another Hospital (When Transferred is chosen, also complete) ☐ Still Hospitalized as of First Birthd Date of Initial Disposition:// MM	(Not required when Initial Disposition is Still Hospitalized as of First Birthday) Ims In cm to nearest 10 th): The property of the proper
Transferred to another Hospital (When Transferred is chosen, also complete) Still Hospitalized as of First Birthd Date of Initial Disposition: J	(Not required when Initial Disposition is Still Hospitalized as of First Birthday) In cm to nearest 10"): (For infants which have not transferred, infant record is now complete) Implete Data Items Reason for Transfer, Transfer Code of Center osition, and the Data Items that follow your Post Transfer Disposition infant's disposition upon leaving the "transferred to" hospital.
Transferred to another Hospital (When Transferred is chosen, also complete) Still Hospitalized as of First Birthd Date of Initial Disposition:	(Not required when Initial Disposition is Still Hospitalized as of First Birthday) In cm to nearest 10"): (For infants which have not transferred, infant record is now complete) Implete Data Items Reason for Transfer, Transfer Code of Center osition, and the Data Items that follow your Post Transfer Disposition infant's disposition upon leaving the "transferred to" hospital.
☐ Transferred to another Hospital (When Transferred is chosen, also complete) ☐ Still Hospitalized as of First Birthd Date of Initial Disposition:// MM	(Not required when Initial Disposition is Still Hospitalized as of First Birthday) Ims In cm to nearest 10*): (For infants which have not transferred, infant record is now complete) Implete Data Items Reason for Transfer, Transfer Code of Center osition, and the Data Items that follow your Post Transfer Disposition infant's disposition upon leaving the "transferred to" hospital. ECMO Growth/Discharge Planning
☐ Transferred to another Hospital (When Transferred is chosen, also complete) ☐ Still Hospitalized as of First Birthd Date of Initial Disposition:// MM	(Not required when Initial Disposition is Still Hospitalized as of First Birthday) Important to nearest 10**):
☐ Transferred to another Hospital (When Transferred is chosen, also complete) ☐ Still Hospitalized as of First Birthd Date of Initial Disposition://	(Not required when Initial Disposition is Still Hospitalized as of First Birthday) Imms In cm to nearest 10**):

te	r Number: Patient ID Number: MRN:
	ose <u>one</u> of the five Post Transfer Disposition options below and complete the Data Item(s) that follow choice:
ost	Transfer Disposition:
	Home
	Date of Final Discharge: / / J / YYYY (infant record is now complete)
	☐ Died
	Date of Final Discharge: / / J / YYYY (infant record is now complete)
3. [☐ Transferred Again to Another Hospital (2 nd Transfer) Ultimate Disposition:
	☐ Home
	Date of Final Discharge: /// (Infant record is now complete)
	☐ Died
	Date of Final Discharge:///(infant record is now complete)
	☐ Still Hospitalized as of First Birthday (infant record is now complete)
ı. [Readmitted to Any Location in Your Hospital When infants are readmitted to your center, continue to update Data Items Bacterial Sepsis and/or Meningitis on or before Day 3 through Monitor at Discharge based on all events at both hospitals until the date of Disposition after Readmission.
	Disposition after Readmission:
	☐ Home
	Weight at Disposition after Readmission: grams
	Date of Final Discharge:// (infant record is now complete)
	MM DD YYYY
	Weight at Disposition after Readmission: grams
	Date of Final Discharge:// (Infant record is now complete) MM DD YYYY
	☐ Still Hospitalized as of First Birthday
	Weight at Disposition after Readmission:grams (infant record is now complete)
	☐ Transferred Again to Another Hospital
	Weight at Disposition after Readmission: grams
	Ultimate Disposition:
	☐ Still Hospitalized as of First Birthday (infant record is now complete)
	Home
	Date of Final Discharge:// (Infant record is now complete) MM DD YYYY
	☐ Died
	Date of Final Discharge:/ (Infant record is now complete) MM DD YYYY
5. [☐ Still Hospitalized as of First Birthday (infant record is now complete)

Patient Data Booklet for Expanded Centers
General Data Items - <i>For Infants Born in <u>2024</u> at Expanded Centers</i> V©N NETWORK Center Number: Patient ID Number: MRN:
VERMONT OXFORD NETWORK eNICQ PATIENT DATA BOOKLET FOR INFANTS BORN IN 2024 This booklet contains protected health care information and must NOT be submitted to Vermont Oxford Network (VON). VON only accepts protected health care information in cases where members have both voluntarily elected to send this information to VON and have signed an appropriate Business Associate Agreement with VON. This booklet is designed for you to use to collect data that will later be entered by your center into eNICQ, the VON data submission tool.
Contents: Page 1: Patient Identification Worksheet Page 2-7: General Data Items For Infants Born in 2024 at Expanded Centers PATIENT IDENTIFICATION WORKSHEET
Patient's Name:
Mother's Name:
Date of Birth: / / / / MM DD YYYY
Date of Admission: //
Date of Day 28: MM DD YYYY For Date of Day 28 use the Day 28 Calculation Charts: https://wtoxford.zendesk.com/fic/en-us/articles/20900117577363
Date of Week 36: MM DD YYYY

Rel 28.0

Copyright ©2023 Vermont Oxford Network, Inc. All Rights Reserved.

PLEASE DO NOT SUBMIT THIS BOOKLET - Protected Health Care Information

1

enter Number:	Patient ID Num	nber: MRN:
Patient ID number:	(this	s is the VON Network ID – it is auto-generated by eNICQ)
Medical Record Number:		Date of Birth://
Died in Delivery Room: Y	es No (If Yes	, complete Delivery Room Death data booklet, not this booklet)
Location of Birth:	nborn 🗌 Outborn	(If Outborn, complete Date of Admission below)
Patient's First Name:		Mother's First Name:
Patient's Last Name:		Mother's Last Name:
Previously Discharged Home	e: Yes	No (If Yes, complete Date of Admission and Reason for Transfer In below)
For Outborn infants, or for Inborn infar Previously Discharged Home is Yes	nts where	Date of Admission:// MM DD YYYY
Reason for Transfer In:	ECMO G	Growth/Discharge Planning
	Surgery 🗌 🤇	Chronic Care
Birth Weight:		
Gestational Age, Weeks:	Ges	tational Age, Days (0-6):
(List available at https://public.vtc	(in cm to nearest	10 th):
Maternal Ethnicity/Race (Ans	<u></u>	
Ethnicity of Mother: Hispa		
<u>=</u>	or African America can Indian or Alaska	
Prenatal Care:	☐ Yes	□ No
Antenatal Steroids:	☐ Yes	□ No
Antenatal Magnesium Sulfat	e: Yes	□ No
Chorioamnionitis:	☐ Yes	□ No
Maternal Hypertension, Chro	nic or Pregnancy	-induced: Yes No
Maternal Diabetes	☐ Yes	□ No
Mode of Delivery:	☐ Vaginal	☐ Cesarean Section
Sex of Infant:	☐ Male	☐ Female ☐ Unknown
Multiple Gestation:	☐ Yes	☐ No If Yes, Number of Infants Delivered:
Congenital Infection:	☐ Yes	□ No
	sm(s):	
Congenital Infection, Organi (If Congenital Infection is Yes, enter		ction descriptions from Manual of Operations, Part 2 – Appendix E)

enter Number:	Patient ID Number:	MRN:
APGAR Scores:	1 minute	5 minutes
Initial Resuscitation:	Oxygen:	☐ Yes ☐ No
	Face Mask Vent:	☐ Yes ☐ No
	Supraglottic Airway Devi	ice: Yes No
	Endotracheal Tube Vent:	: Yes No
	Epinephrine:	☐ Yes ☐ No
	Cardiac Compression:	☐ Yes ☐ No
	Nasal Vent:	☐ Yes ☐ No
	Nasal CPAP:	∐ Yes ☐ No
Temperature Measured	within the First Hour after A	dmission to Your NICU: Yes No N/A
If Yes, Temperature W (In degrees <i>centigrade</i> to ne	Vithin the First Hour after Ad earest 10 th)	Imission to Your NICU:
Died within 12 Hours of	Admission to Your NICU:	☐ Yes ☐ No
Bacterial Sepsis and/or	Meningitis on or before Day	/ 3: ☐ Yes ☐ No
-	Meningitis on or before Day ningitis is Yes, enter up to 3 Bacterial	y 3, Pathogen(s):
Oxygen on Day 28:	☐ Yes ☐ No	
Periventricular-Intraven	tricular Hemorrhage (PIH):	
Cranial Imaging (US/CT	/MRI) on or before Day 28:	☐ Yes ☐ No
If Yes, Worst Grade	of PIH (0-4):	
	ere PIH First Occurred:	☐ Your Hospital ☐ Other Hospital
Respiratory Support (a	t any time after leaving the de	livery room/initial resuscitation area):
Oxygen (after Initial Resus	citation):	Yes No
Conventional Ventilati	on (after Initial Resuscitation):	☐ Yes ☐ No
High Frequency Ventil	lation (after Initial Resuscitation):	☐ Yes ☐ No
Nasal Cannula Flow (a	fter Initial Resuscitation):	☐ Yes ☐ No
•		wo Liters per Minute (after Initial Resuscitation): Yes No
Nasal Ventilation (after	Initial Resuscitation):	☐ Yes ☐ No
Nasal CPAP (after Initial F	Resuscitation):	☐ Yes ☐ No
Surfactant during Initia	I Resuscitation: ☐ Yes ☐	No
Surfactant at Any Time:	: Yes No (Surfactant a	at Any Time must be Yes if Surfactant During Initial Resuscitation is Yes
If Yes, Age at First D	ose of Surfactant: Hours _	Minutes (0-59)
Inhaled Nitric Oxide:	☐ Yes ☐ No	
If Yes, Inhaled Nitric	Oxide, Where Given:	Your Hospital

enter Number:	Patient ID Nu	mber:		MRN:		
Respiratory Support at	36 Weeks (See Manua	·— —	_	*		
Oxygen (at 36 Weeks):		∐ Yes ∐ No	∐ N/A	4		
Conventional Ventilation	on (at 36 Weeks):	∐ Yes ∐ No	∐ N/A	4		
High Frequency Ventil	ation (at 36 Weeks):	☐ Yes ☐ No	□ N/A	4		
Nasal Cannula Flow (at	t 36 Weeks):	☐ Yes ☐ No	□ N/A	4		
If Yes, Flow Rate of	Nasal Cannula Great	ter than Two Liters	per Min	ute (at 36 Week	s): Yes] No
Nasal Ventilation (at 36	Weeks):	☐ Yes ☐ No	□ N/A	4		
Nasal CPAP (at 36 Weeks	s):	☐ Yes ☐ No	□ N/A	4		
Steroids for CLD:		☐ Yes ☐ No				
If Yes, Steroids for C	LD. Where Given:	☐ Your Hospita	al 🗆 🤇	Other Hospital	Both	
Indomethacin for Any R		Yes ☐ No		· ·		
buprofen for PDA:		☐ Yes ☐ No				
Acetaminophen (Parace	stamol) for PDA:	☐ Yes ☐ No				
Probiotics:	stanion for t DA.					
	A4: \/FOF D	☐ Yes ☐ No				
Treatment of ROP with		☐ Yes ☐ No				
Caffeine for Any Reason		☐ Yes ☐ No				
Intramuscular Vitamin A	A for Any Reason:	☐ Yes ☐ No				
ROP Surgery:		☐ Yes ☐ No				
If Yes, ROP Surgery,	Where Done:	☐ Your Hospita	al 🗌 C	ther Hospital	☐ Both	
Surgery or Intervention			_	es 🗌 No		
(If Yes, a Surgery Code, Location						
Surgery for NEC, Suspe (If Yes, a Surgery Code, Location	•			'es ∐ No below)		
Other Surgery:	<u> </u>			es No		
(If Yes, a Surgery Code, Location	n of Surgery, and an answer	to Surgical Site Infection a	re required	below)		
If Yes to Surgery for Clo Locations of Surgery, a See Manual of Operations, Par If Surgery for NEC is Yes, one Surgery for each surgery code. site infection.	nd check Yes or No t 2 – Appendix D for Surge or more of the following coo If a surgical site infection	for Surgical Site Intry Codes. des is required: S302, S3 is present, indicate "Yes"	fection f 03, S307, for the one	ollowing Sure S308, S309, S333 e surgical code th	gery at Your 3. Indicate <i>Loc</i> a at resulted in th	Hospita ation of e surgical
Surgery Code 1: Surgery Code 2:			☐ Both ☐ Both	Surgical Site Inf Surgical Site Inf	_	_
Surgery Code 3:			☐ Both	Surgical Site Inf		
Surgery Code 4:		= :	Both	Surgical Site Inf	_	
Surgery Code 5:	🗌 Your Hospital		Both	Surgical Site Inf		
Surgery Code 6:			Both	Surgical Site Inf		
Surgery Code 7:			☐ Both	Surgical Site Inf		
Surgery Code 8: Surgery Code 9:			☐ Both ☐ Both	Surgical Site Inf Surgical Site Inf	_	
Surgery Code 10:			Both	Surgical Site Inf		
Include description for		•	00,S600,	S700,S800,S9	00,S1000, an	d S1001:

enter Number: Patient ID Number	r: MRN:
Respiratory Distress Syndrome:	☐ Yes ☐ No
Pneumothorax:	☐ Yes ☐ No
If Yes, Pneumothorax, Where Occurred:	☐ Your Hospital ☐ Other Hospital ☐ Both
Patent Ductus Arteriosus:	☐ Yes ☐ No ☐ N/A
Necrotizing Enterocolitis:	☐ Yes ☐ No
If Yes, NEC, Where Occurred:	☐ Your Hospital ☐ Other Hospital ☐ Both
Surgically Confirmed or Clinically Diagnosed Foca	I Intestinal Perforation: cally Confirmed □ Clinically Diagnosed □ No
Sepsis and/or Meningitis, Late (after day 3 of life):	
Bacterial Sepsis and/or Meningitis after Day 3:	☐ Yes ☐ No
If Yes, Bacterial Sepsis and/or Meningitis after [Day 3, Where Occurred: ☐ Your Hospital ☐ Outside Your Hospital ☐ Both
Bacterial Sepsis and/or Meningitis after Day 3, Pat (If Bacterial Sepsis and/or Meningitis is Yes, enter up to 3 Bacter	rial Pathogen descriptions from Manual of Operations, Part 2, Appendix B)
Coagulase Negative Staph Infection after Day 3:	☐ Yes ☐ No
If Yes, Coagulase Negative Staphylococcal Infe	ction after Day 3, Where Occurred: Your Hospital Dutside Your Hospital Doth
Fungal Infection after Day 3: If Yes, Fungal Infection after Day 3, Where Occurred: [☐ Yes ☐ No ☐ Your Hospital ☐ Outside Your Hospital ☐ Both
Cystic Periventricular Leukomalacia: Yes	□ No □ N/A (See Manual of Operations, Part 2 for N/A criteria)
ROP, Retinal Examination	□ No
If Yes, Worst Stage of ROP (0-5):	_
Congenital Anomaly:	□ No
If Yes, enter up to 5 Congenital Anomaly Codes See Manual of Operations, Part 2 – Appendix C for Congenita	
If Yes, as needed, include description(s) for Co	odes 100, 504, 601, 605, 901, 902, 903, 904, & 907:
ECMO at your Hospital:	☐ Yes ☐ No
Was Hypothermic Therapy Performed at Your Hos	
If Yes, Level of Consciousness Before Hypothe	
	☐ Selective Head ☐ Whole Body ☐ Both
If Yes, Hypothermic Therapy Cooling Method: Hypoxic-Ischemic Encephalopathy:	☐ Yes ☐ No

enter Number:	Patient ID Number: MRN:
Meconium Aspiration S	Syndrome:
If Yes, Tracheal Suc	tion for Meconium Attempted during Initial Resuscitation:
Seizures:	☐ Yes ☐ No
Neonatal Abstinence S	syndrome: Yes No N/A (N/A when Gestational Age, Weeks is less than or equal to 33)
If Yes, Pharmacolog	gical Treatment for Neonatal Abstinence Syndrome: 🔲 Yes 🔲 No
If Yes, Pharmacol	logical Treatment for Neonatal Abstinence Syndrome, Where Given:
	☐ Your Hospital ☐ Other Hospital ☐ Both
Is this infant still hospi	italized at your center? Yes No
Enteral Feeding at Disc	charge: None Human Milk Only
	\square Formula Only $\ \square$ Human milk in combination with either fortifier or formula
Oxygen, Respiratory Sı	upport, and Monitor at Discharge:
Oxygen (at Discharge):	☐ Yes ☐ No
Conventional Ventilat	tion (at Discharge): Yes No
High Frequency Venti	ilation (at Discharge): Yes No
Nasal Cannula Flow (at Discharge): Yes No
If Yes, Flow Rate o	of Nasal Cannula Greater than Two Liters per Minute (at Discharge): Yes No
Nasal Ventilation (at D	Discharge): Yes No
Nasal CPAP (at Dischar	rge): Yes No
Monitor (at Discharge):	☐ Yes ☐ No
Duration of Assisted V	entilation (initial hospital stay): None <a> < 4 hours <a> 4-24 hours <a> > 24 hours
If > 24 hours, Total	Days of Assisted Ventilation (initial hospital stay):
Initial Disposition (che	ck only one): (When Transferred is chosen, also complete Transfer/Readmission data below & on page 7)
☐ Home ☐ Died	
Date of Initial Dispositi	on: (Not required when Initial Disposition is Still Hospitalized as of First Birthday)
•	MM DD YYYY
Weight at Initial Dispos	sition: grams
Head Circumference at	t Initial Disposition (in cm to nearest 10th): [[[For infants which have not transferred, infant record is now complete]
to which Infant Transferre	to another hospital, complete Data Items Reason for Transfer, Transfer Code of Center ed, Post Transfer Disposition, and the Data Items that follow your Post Transfer Disposition sposition refers to the infant's disposition upon leaving the "transferred to" hospital.
lf Transferred, Reason f	for Transfer Out: ☐ ECMO ☐ Growth/Discharge Planning
	☐ Medical/Diagnostic Services ☐ Surgery ☐ Chronic Care
	O46 T1
Transfer Code of Cente	Other Hypothermic Therapy er to which Infant Transferred:

nt	rer Number: Patient ID Number: MRN:
s T	This Infant Still Hospitalized at Another Center? ☐ Yes ☐ No
	oose <u>one</u> of the five Post Transfer Disposition options below and complete the Data Item(s) that follow ur choice:
Po:	st Transfer Disposition:
1.	Home
	Date of Final Discharge:/// (infant record is now complete)
2	☐ Died
	Date of Final Discharge:///(Infant record is now complete)
3.	☐ Transferred Again to Another Hospital (2 nd Transfer)
	Ultimate Disposition:
	Home
	Date of Final Discharge:// (infant record is now complete) ☐ Died
	Date of Final Discharge:// (infant record is now complete)
	☐ Still Hospitalized as of First Birthday (infant record is now complete)
1.	Readmitted to Any Location in Your Hospital When infants are readmitted to your center, continue to update Data Items Bacterial Sepsis and/or Meningitis on or before Day 3
	through Monitor at Discharge based on all events at both hospitals until the date of Disposition after Readmission.
	Also continue to update Data Items ECMO at your Hospital, Hypothermic Therapy at Your Hospital, Cooling Method, Hypoxic-Ischemic Encephalopathy, HIE Severity, Seizures, Neonatal Abstinence Syndrome, Pharmacological Treatment for Neonatal Abstinence Syndrome, Where Given based on events that occur following transfer and readmission.
	Disposition after Readmission:
	☐ Home
	Weight at Disposition after Readmission: grams
	Date of Final Discharge://
	☐ Died
	Weight at Disposition after Readmission: grams
	Date of Final Discharge://(Infant record is now complete)
	Still Hospitalized as of First Birthday
	Weight at Disposition after Readmission: grams (infant record is now complete)
	☐ Transferred Again to Another Hospital
	Weight at Disposition after Readmission:grams
	Ultimate Disposition:
	Still Hospitalized as of First Birthday (infant record is now complete)
	Home
	Date of Final Discharge: / / / (infant record is now complete)
	MM DD YYYY
	Date of Final Discharge: / / / / / / / / / (Infant record is now complete)
5.	Still Hospitalized as of First Birthday (infant record is now complete)
1 28.	.0 Copyright ©2023 Vermont Oxford Network, Inc. All Rights Reserved. 7

2024 Delivery Room Death Booklet for VLBW Centers

_	Patient ID Number: MRN:
- NIOO DE	VERMONT OXFORD NETWORK
•	ELIVERY ROOM DEATH BOOKLET FOR INFANTS BORN IN 2024 Room Death Booklet for eligible inborn infants who die in the delivery roo
	ocation in your hospital within 12 hours of birth and prior to admission to the
Vermont Oxford where members	ontains protected health care information and must NOT be submitted Network (VON). VON only accepts protected health care information in cases have both voluntarily elected to send this information to VON and have priate Business Associate Agreement with VON.
	designed for you to use to collect data that will later be entered by your cent VON data submission tool.
Contents:	
Page 1: Pat	ient Identification Worksheet livery Room Death Data Items For Infants Born in 2024 at VLBW Centers
r age 2-3. Der	invery Noom beath bata items for miants bornin 2024 at VEBVV Genters
	DELIVERY ROOM DEATH
	PATIENT IDENTIFICATION WORKSHEET
Detient's Nones	
Patient's Name: _	
Mother's Name: _	
_	Record Number:
Patient's Medical	
_	Record Number:
Patient's Medical	
Patient's Medical	
Patient's Medical Date of Birth:	MM DD YYYY
Patient's Medical Date of Birth:	
Patient's Medical Date of Birth:	EASE DO NOT SUBMIT THIS WORKSHEET

	itient ID Num	ıber:		MRN:	
Patient ID number:	(this	s is the VON Network	∢ID – it is auto-gene	rated by eNICQ)	
Medical Record Number:					
Date of Birth://	/				
Died in Delivery Room: ☐ Yes		omplete General Da	ta Items booklet, no	this booklet)	
Patient's First Name:					
Patient's Last Name:					
Mother's First Name:					
Mother's Last Name:					
Birth Weight: gr					
Gestational Age, Weeks:	Gest	ational Age, Da	ays (0-6):		
Head Circumference at Birth (in	cm to nearest 1	0 th):].		
	African America Indian or Alaska		√hite ☐ A ative Hawaiian o] Othe
			_] Other
			_] Other
American	Indian or Alaska	Native N	_		Other
☐ American	Indian or Alaska	Native N	_] Other
☐ American Prenatal Care: Antenatal Steroids:	Indian or Alaska	Native N	_] Other
☐ American Prenatal Care: Antenatal Steroids: Antenatal Magnesium Sulfate:	Indian or Alaska	Native No No No No No No	ative Hawaiian o	r Other Pacific Islander] Other
☐ American Prenatal Care: Antenatal Steroids: Antenatal Magnesium Sulfate: Chorioamnionitis:	Indian or Alaska	Native No No No No No No	ative Hawaiian o	r Other Pacific Islander	Other
☐ American Prenatal Care: Antenatal Steroids: Antenatal Magnesium Sulfate: Chorioamnionitis: Maternal Hypertension, Chronic	Indian or Alaska	Native No No No No No No No	ative Hawaiian o	r Other Pacific Islander] Other
American Prenatal Care: Antenatal Steroids: Antenatal Magnesium Sulfate: Chorioamnionitis: Maternal Hypertension, Chronic Maternal Diabetes	Indian or Alaska	Native Nat	ative Hawaiian o	r Other Pacific Islander] Other
American Prenatal Care: Antenatal Steroids: Antenatal Magnesium Sulfate: Chorioamnionitis: Maternal Hypertension, Chronic Maternal Diabetes Mode of Delivery:	Indian or Alaska	Native No No No No No No No Classification No Cl	ative Hawaiian o	r Other Pacific Islander	
American Prenatal Care: Antenatal Steroids: Antenatal Magnesium Sulfate: Chorioamnionitis: Maternal Hypertension, Chronic Maternal Diabetes Mode of Delivery: Sex of Infant:	Indian or Alaska Yes Yes Yes Yes Yes Or Pregnancy Yes Vaginal Male	Native No No No No No No Cesarean	ative Hawaiian o	r Other Pacific Islander	
American Prenatal Care: Antenatal Steroids: Antenatal Magnesium Sulfate: Chorioamnionitis: Maternal Hypertension, Chronic Maternal Diabetes Mode of Delivery: Sex of Infant: Multiple Gestation:	Indian or Alaska	Native	ative Hawaiian o	ober of Infants Delivered:	
American Prenatal Care: Antenatal Steroids: Antenatal Magnesium Sulfate: Chorioamnionitis: Maternal Hypertension, Chronic Maternal Diabetes Mode of Delivery: Sex of Infant: Multiple Gestation: Congenital Infection, Organism((If Congenital Infection is Yes, enter up to	Indian or Alaska	Native Nat	ative Hawaiian o	o Other Pacific Islander o Delivered:	

enter Number:	Patient ID Number: MRN:
Initial Resuscitation:	Oxygen:
	Face Mask Vent:
	Supraglottic Airway Device: ☐ Yes ☐ No
	Endotracheal Tube Vent:
	Epinephrine:
	Cardiac Compression: Yes No
	Nasal Vent: Yes No
	Nasal CPAP: Yes No
Surfactant during Initial	Resuscitation:
Surfactant at Any Time:	Yes No (Surfactant at Any Time must be Yes if Surfactant During Initial Resuscitation is Yes
If Yes, Age at First D	ose of Surfactant: Hours Minutes (0-59)
Congenital Anomaly:	☐ Yes ☐ No (For infants where Congenital Anomaly is No, infant record is now complete)
•	Part 2 – Appendix C for Congenital Anomaly Codes. clude description(s) for Codes 100, 504, 601, 605, 901, 902, 903, 904, & 907: (infant record is now complete
See Manual of Operations,	Part 2 – Appendix C for Congenital Anomaly Codes. Clude description(s) for Codes 100, 504, 601, 605, 901, 902, 903, 904, & 907:
See Manual of Operations,	Part 2 – Appendix C for Congenital Anomaly Codes. Clude description(s) for Codes 100, 504, 601, 605, 901, 902, 903, 904, & 907:
See Manual of Operations,	Part 2 – Appendix C for Congenital Anomaly Codes. Clude description(s) for Codes 100, 504, 601, 605, 901, 902, 903, 904, & 907:
See Manual of Operations,	Part 2 – Appendix C for Congenital Anomaly Codes. Clude description(s) for Codes 100, 504, 601, 605, 901, 902, 903, 904, & 907:
See Manual of Operations,	Part 2 – Appendix C for Congenital Anomaly Codes. Clude description(s) for Codes 100, 504, 601, 605, 901, 902, 903, 904, & 907:
See Manual of Operations,	Part 2 – Appendix C for Congenital Anomaly Codes. Clude description(s) for Codes 100, 504, 601, 605, 901, 902, 903, 904, & 907:
See Manual of Operations,	Part 2 – Appendix C for Congenital Anomaly Codes. Clude description(s) for Codes 100, 504, 601, 605, 901, 902, 903, 904, & 907:
See Manual of Operations,	Part 2 – Appendix C for Congenital Anomaly Codes. Clude description(s) for Codes 100, 504, 601, 605, 901, 902, 903, 904, & 907:
See Manual of Operations,	Part 2 – Appendix C for Congenital Anomaly Codes. Clude description(s) for Codes 100, 504, 601, 605, 901, 902, 903, 904, & 907:
See Manual of Operations,	Part 2 – Appendix C for Congenital Anomaly Codes. Clude description(s) for Codes 100, 504, 601, 605, 901, 902, 903, 904, & 907:
See Manual of Operations,	Part 2 – Appendix C for Congenital Anomaly Codes. Clude description(s) for Codes 100, 504, 601, 605, 901, 902, 903, 904, & 907:
See Manual of Operations,	Part 2 – Appendix C for Congenital Anomaly Codes. Clude description(s) for Codes 100, 504, 601, 605, 901, 902, 903, 904, & 907:
See Manual of Operations,	Part 2 – Appendix C for Congenital Anomaly Codes. Clude description(s) for Codes 100, 504, 601, 605, 901, 902, 903, 904, & 907:
See Manual of Operations,	Part 2 – Appendix C for Congenital Anomaly Codes. Clude description(s) for Codes 100, 504, 601, 605, 901, 902, 903, 904, & 907:
See Manual of Operations,	Part 2 – Appendix C for Congenital Anomaly Codes. Clude description(s) for Codes 100, 504, 601, 605, 901, 902, 903, 904, & 907:

2024 Delivery Room Death Booklet for VLBW Centers

	Patient ID Number: MRN:
	VERMONT OXFORD NETWORK
eNICQ DE	LIVERY ROOM DEATH BOOKLET FOR INFANTS BORN IN 2024
	Room Death Booklet for eligible inborn infants who die in the delivery roc ocation in your hospital within 12 hours of birth and prior to admission to t
Vermont Oxford where members	ontains protected health care information and must NOT be submitted Network (VON). VON only accepts protected health care information in case have both voluntarily elected to send this information to VON and happriate Business Associate Agreement with VON.
	lesigned for you to use to collect data that will be later entered by your cen VON data submission tool.
	ient Identification Worksheet ivery Room Death Data Items For Infants Born in 2024 at Expanded Centers
	DELIVERY ROOM DEATH
	PATIENT IDENTIFICATION WORKSHEET
Patient's Name: _	
Mother's Name: _	
Mother's Name: _ Patient's Medical	Record Number:
Mother's Name: _	
Mother's Name: _ Patient's Medical	Record Number:
Mother's Name: _ Patient's Medical	Record Number:
Mother's Name: _ Patient's Medical Date of Birth:	Record Number:
Mother's Name: _ Patient's Medical Date of Birth:	Record Number: MM / DD / YYYYY EASE DO NOT SUBMIT THIS WORKSHEET

	itient ID Num	nber:		MRN: _	
Patient ID number:	(this	s is the VON Network	∢ID – it is auto-gen	erated by eNICQ	
Medical Record Number:					
Date of Birth://	y				
Died in Delivery Room: Yes		omplete General Da	ıta Items booklet, n	ot this booklet)	
Patient's First Name:					
Patient's Last Name:					
Mother's First Name:					
Mother's Last Name:					
Birth Weight: gr					
Gestational Age, Weeks:	Gest	tational Age, D	ays (0-6):		
Head Circumference at Birth (in	cm to nearest 1	10 th):	1.		
_	Indian or Alaska	Native 🗌 N	lative Hawaiian	or Other Pacifi	Islander
Prenatal Care:	☐ Yes	□ No			
Prenatal Care: Antenatal Steroids:	Yes	☐ No			
	☐ Yes				
Antenatal Steroids:	Yes	□ No			
Antenatal Steroids: Antenatal Magnesium Sulfate:	☐ Yes ☐ Yes ☐ Yes	□ No □ No □ No	☐ Yes ☐	No	
Antenatal Steroids: Antenatal Magnesium Sulfate: Chorioamnionitis:	☐ Yes ☐ Yes ☐ Yes	□ No □ No □ No	☐ Yes ☐	No	
Antenatal Steroids: Antenatal Magnesium Sulfate: Chorioamnionitis: Maternal Hypertension, Chronic	Yes Yes Yes or Pregnancy	□ No □ No □ No □ No		No	
Antenatal Steroids: Antenatal Magnesium Sulfate: Chorioamnionitis: Maternal Hypertension, Chronic Maternal Diabetes	Yes Yes Yes or Pregnancy	□ No			
Antenatal Steroids: Antenatal Magnesium Sulfate: Chorioamnionitis: Maternal Hypertension, Chronic Maternal Diabetes Mode of Delivery:	Yes Yes Yes Yes or Pregnancy Yes Vaginal	No No No No Induced: No Cesarear	n Section	n	ts Delivered:
Antenatal Steroids: Antenatal Magnesium Sulfate: Chorioamnionitis: Maternal Hypertension, Chronic Maternal Diabetes Mode of Delivery: Sex of Infant:	☐ Yes ☐ Yes ☐ Yes ☐ Yes Or Pregnancy ☐ Yes ☐ Vaginal ☐ Male	□ No □ No □ No □ No -Induced: □ No □ Cesarear □ Female	n Section	n	
Antenatal Steroids: Antenatal Magnesium Sulfate: Chorioamnionitis: Maternal Hypertension, Chronic Maternal Diabetes Mode of Delivery: Sex of Infant: Multiple Gestation:	☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Vaginal ☐ Male ☐ Yes ☐ Yes ☐ Yes ☐ Ses	No No No No Induced: No Cesarear Female No No	n Section ☐ Unknow If Yes, Num	n nber of Infan	ts Delivered:
Antenatal Steroids: Antenatal Magnesium Sulfate: Chorioamnionitis: Maternal Hypertension, Chronic Maternal Diabetes Mode of Delivery: Sex of Infant: Multiple Gestation: Congenital Infection, Organism((If Congenital Infection is Yes, enter up to	☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Vaginal ☐ Male ☐ Yes ☐ Yes ☐ Yes ☐ Ses	No No No No Induced: No Cesarear Female No No	n Section ☐ Unknow If Yes, Num	n nber of Infan erations, Part 2 -	ts Delivered:

	Patient ID Number: MRN:
Initial Resuscitation:	Oxygen: Yes No
	Face Mask Vent: Yes No
	Supraglottic Airway Device: Yes No
	Endotracheal Tube Vent:
	Epinephrine:
	Cardiac Compression: Yes No
	Nasal Vent: Yes No
	Nasal CPAP: Yes No
Surfactant during Initial	Resuscitation: Yes No
Surfactant at Any Time:	
If Yes, Age at First D	lose of Surfactant: Hours Minutes (0-59)
Congenital Anomaly:	☐ Yes ☐ No
If Yes, enter up to 5 C See Manual of Operations.	Congenital Anomaly Codes: Part 2 – Appendix C for Congenital Anomaly Codes.
	clude description(s) for Codes 100, 504, 601, 605, 901, 902, 903, 904, & 907:
Meconium Aspiration Sy	yndrome: Yes No (for infants where Meconium Aspiration Syndrome
Meconium Aspiration Sy If Yes, Tracheal Sucti	yndrome: Yes No (for infants where Meconium Aspiration Syndrome is No, infant record is now complete) ion for Meconium Attempted during Initial Resuscitation: Yes No (infant record is now complet
	is <i>No</i> , infant record is now complete) ion for Meconium Attempted during Initial Resuscitation: Yes No

All the booklets in this appendix can be downloaded individually as PDFs from our knowledge base. The 2024 booklets are found at https://vtoxford.zendesk.com/hc/en-us/sections/20899879224851-VLBW-Expanded-Databases-2024-Data-Definitions-Forms-and-Materials.